# **Section 1: Purposes**

The purposes of this Ordinance are to further the maintenance of safe and healthful conditions; to prevent and control water pollution; to protect fish spawning grounds, aquatic life, bird and other wildlife habitat; to protect buildings and lands from flooding and accelerated erosion; to protect archaeological and historic resources; to protect commercial fishing and maritime industries; to protect freshwater and coastal wetlands; to control building sites, placement of structures and land uses; to conserve shore cover, and visual as well as actual points of access to inland and coastal waters; to conserve natural beauty and open space; and to anticipate and respond to the impacts to development in shoreland areas.

# **Section 2: Authority**

This Ordinance has been prepared in accordance with the provisions of Title 38 sections 435-449 of the Maine Revised Statutes Annotated (M.R.S.A.)

# **Section 3: Applicability**

This Ordinance applies to all land areas within two hundred-fifty (250) feet, horizontal distance, of the

- normal high-water line of any great pond or river,
- upland edge of a freshwater wetland,
- and within seventy-five (75) feet, horizontal distance, of the normal high-water line of a stream.

This Ordinance also applies to any structure built on, over or abutting a dock, wharf or pier, or other structure extending beyond the normal high-water line of a body or within a wetland.

### **Section 4: Effective Date**

# A. Effective Date of Ordinance and Ordinance Amendments

This Sebago Shoreland Zoning Ordinance, which was adopted by the municipal legislative body on May 25, 2010, shall not be effective unless approved by the Commissioner of the Department of Environmental Protection, hereinafter referred to as the Commissioner. A certified copy of the Sebago Shoreland Zoning Ordinance or Ordinance Amendment, attested and signed by the Municipal Clerk, shall be forwarded to the Commissioner for approval. If the Commissioner fails to act on this Ordinance or Ordinance Amendment within forty-five (45) days of his/her receipt of the Ordinance or Ordinance Amendment, it shall be automatically approved. Upon approval of this Ordinance, the "Shoreland Zoning Ordinance" previously adopted on March 2, 1991 is hereby repealed.

Any application for a permit submitted to the municipality within the forty-five (45) day period shall be governed by the terms of this Ordinance or Ordinance Amendment if the Ordinance or Ordinance Amendment is approved by the Commissioner.

# B. Repeal of Municipal Timber Harvesting Regulation

The municipal regulation of timber harvesting activities is repealed on the statutory date established under 38 M.R.S.A. section 438-B (5), at which time the State of Maine Department of Conservation's Bureau of Forestry shall administer timber harvesting standards in the Shoreland Zone. On the date established under 38 M.R.S.A. 438-B (5), the following provisions of this Ordinance are repealed:

8.B.1. Article 7, Land Use Table of Permitted Uses, repeal the row labeled "Timber Harvesting" only.

8.B.1.A Article 11.R Timber Harvesting, repeal entire section.

8.B.1.B Article 2.B repeals definitions of the following terms:

Basal area, residual Harvest area Residual stand

NOTE: The statutory date established under 38 M.R.S.A. section 438-B(5) is the effective date of state-wide timber harvesting standards. That date is "the first day of January of the 2<sup>nd</sup> year following the year in which the Commissioner of Conservation determines that at least 252 of the 336 municipalities identified by the Commissioner of Conservation as the municipalities with the highest acreage of timber harvesting activity on an annual basis for the period 1992-2003 have either accepted the statewide standards or have adopted an ordinance identical to the state-wide standards." 38 M.R.S.A. section 438-B(5) further provides that "the Commissioner of Conservation shall notify the Secretary of State in writing and advise the Secretary of the effective date of the state-wide standards."

# **Section 5: Availability**

A certified copy of the Ordinance shall be filed with the Municipal Clerk and shall be accessible to any member of the public. Copies shall be made available to the public at a reasonable cost at the expense of the person making the request. Notice of availability of the Ordinance shall be posted.

# **Section 6: Severability**

Should any section or provision of this Ordinance be declared by the courts to be invalid, such decision shall not invalidate any other section or provision of the Ordinance.

# **Section 7: Conflicts with Other Ordinances**

Whenever a provision of this Ordinance conflicts with or is inconsistent with another provision of the Ordinance or of any other ordinance, regulation or statute administered by the municipality, the more restrictive provision shall control.

# **Section 8: Amendments**

- A. On petition, or on their own motion, the Selectmen shall present warrants for consideration by the Town to amend, supplement, or repeal the regulations and provisions of this Ordinance.
- B. The Selectmen shall refer proposed amendments to the Planning Board for a report thereon at least ten-fourteen (1014) days before the date of public hearing that shall be called to consider the proposed amendment or amendments.
- C. The Selectmen shall fix the time and place of the public hearing on the proposed amendment or amendments and cause notice to be given in accordance with the laws of the State of Maine.
- D. This Ordinance may be amended, after a report on the proposed amendment(s) by the Planning Board and a public hearing by a majority vote of the legislative body.
- E. Copies of amendments, attested and signed by the Municipal Clerk, shall be submitted to the Commissioner following adoption by the municipal legislative body and shall not be effective unless approved by the Commissioner. If the Commissioner fails to act on any amendment within forty-five (45) days of his/her receipt of the amendment, the amendment is automatically approved. Any application for a permit submitted to the municipality within the forty-five (45) day period shall be governed by the terms of the amendment, if such amendment is approved by the Commissioner.

### **Section 9: Districts and Zoning Map**

A.Official Shoreland Zoning Map

The areas to which this Ordinance is applicable are hereby divided into the following districts as shown on the Official Shoreland Zoning Map which is made a part of this Ordinance:

- 1. Resource Protection
- 2. Limited Residential
- 3. Stream Protection

# B. Scale of Map

The Official Shoreland Zoning Map shall be drawn at a scale of not less than 1 inch = 2000 feet. District boundaries shall be clearly delineated and a legend indicating the symbols for each district shall be placed on the map.

C. Certification of Official Shoreland Zoning Map

The Official Shoreland Zoning Map shall be certified by the attested signature of the Municipal Clerk and shall be located in the municipal office. In the event the municipality does not have a municipal office, the Municipal Clerk shall be the custodian of the map.

### D. Changes to the Official Shoreland Zoning Map

If amendments, in accordance with Section 8, are made in the district boundaries or other matter portrayed on the Official Shoreland Zoning Map, such changes shall be made on the Official Shoreland Zoning Map within thirty (30) days after the amendment has been approved by the Commissioner.

# **Section 10: Interpretation of District Boundaries**

Unless otherwise set forth on the Official Shoreland Zoning Map, district boundary lines are property lines, the centerlines of streets, roads and right-of-ways, and the boundaries of the shoreland area as defined herein. Where uncertainty exists as to the exact location of district boundary lines, the Board of Appeals shall be the final authority as to location.

# **Section 11: Land Use Requirements**

Except as hereinafter specified, no building, structure or land shall hereafter be used or occupied, and no building or structure or part thereof shall hereafter be erected, constructed, expanded, moved, or altered and no new lot shall be created except in conformity with all of the regulations herein specified for the district in which it is located, unless a variance is granted.

# **Section 12: Non-Conformance**

# A. Purpose

It is the intent of this Ordinance to promote land use conformities, except that nonconforming conditions that existed before the effective date of this Ordinance or amendments thereto shall be allowed to continue, subject to the requirements set forth in Section 12. Except as otherwise provided in this Ordinance, a non-conforming condition shall not be permitted to become more non-conforming.

### B. General

#### Transfer of Ownership:

Non-conforming structures, lots, and uses may be transferred, and the new owner may continue the non-conforming use or continue to use the non-conforming structure or lot, subject to the provisions of the Ordinance.

# Repair and Maintenance:

This Ordinance allows the normal upkeep and maintenance of non-conforming use and structures including repairs or renovations that do not involve expansion of the non-conforming use or structure, and such other changes in a non-conforming use or structure as federal, state, or local building and safety codes may require.

### **C. Non-Conforming Structures**

### 1. Expansions:

All new principal and accessory structures, excluding functionally water dependent uses, must meet the water body, tributary stream, or wetland setback requirements contained in Section 15(B)(1). A non-conforming structure may be added to or expanded after obtaining a permit from the same permitting authority as that for the new structure if such an addition or expansion does not increase the nonconformity of the structure and is in accordance with subparagraphs (a) and (b) below.

- a. Expansion of any portion of a structure within twenty-five (25) feet of the normal high-water line of a water body, tributary stream, or upland edge of a wetland is prohibited even if the expansion will not increase the nonconformity with the water body, tributary stream or wetland setback requirements. Expansion of an accessory structure that is located closer to the normal high-water line of a body of water, tributary stream, or upland edge of a wetland than the principal structure is prohibited, even if the expansion will not increase nonconformity with the water body, tributary stream or wetland setback requirement.
- b. Notwithstanding paragraph (a), above, if a legally existing nonconforming principal structure is entirely located less than twenty-five (25) feet from the normal high-water line of a water body, tributary stream, or upland edge if a wetland, that structure may be expanded as follows, as long as all other applicable municipal land use standards are met and the expansion is not prohibited by Section 12(C)(1).
  - i. The maximum total footprint for the principal structure may not be expanded to a size greater than eight hundred (800) square feet or thirty percent (30%) larger than the footprint that existed on January 1, 1989, whichever is greater. The maximum height of the principal structure may not be made greater than fifteen (15) feet or the height of the existing structure, whichever is greater.
- c. All other legally existing nonconforming principal and accessory structures that do not meet the water body, tributary stream, or wetland setback requirements may be expanded or altered as follows, as long as other applicable municipal land use standards are met and the expansion is not prohibited by Section 12(C)(1) or Section 12(C)(1)(a), above.
  - i. For structures located less than seventy-five (75) feet from the normal high-water line of a water body, tributary stream, or upland edge of a wetland, the maximum combined total footprint for all structures may not be expanded to a size greater than one thousand (1,000) square feet or thirty percent (30%) larger than the footprint that existed on January 1, 1989, whichever is greater. The maximum height of any structure may not be made greater than twenty (20) feet or the height of the existing structure, whichever is greater.
  - ii. For structures located less than one hundred (100) feet from the normal highwater line of a great pond classified as GPA or a river flowing to a great pond

classified as GPA, the maximum combined total footprint for all structures may not be expanded to a size greater than fifteen hundred (1,500) square feet or thirty percent (30%) larger than the footprint that existed on January 1, 1989, whichever is greater. The maximum height of any structure may not be made greater than twenty-five (25) feet or the height of the existing structure, whichever is greater. Any portion of those structures located less than seventy-five (75) feet from the normal high-water line of a water body, tributary stream, or upland edge of a wetland must meet the footprint and height limits in Section 12(C)(1)(C)(i), above.

- iii. In addition to the limitations in subparagraphs (i) and (ii), for structures that are legally nonconforming due to their location within the Resource Protection District when located less than two hundred-fifty (250) feet from the normal high-water line of a water body, tributary stream, or the upland edge of a wetland, the maximum combined total footprint for all structures may not be expanded to a size greater than fifteen hundred (1,500) square feet or thirty percent (30%) larger than the footprint that existed at the time the Resource Protection District was established on the lot, whichever is greater. The maximum height of any structure may not be greater than twenty-five (25) feet or the height of the existing structure, whichever is greater, except that any portion of those structures located less than seventy-five (75) feet from the normal high-water line of a body of water, tributary stream, or upland edge of a wetland must meet the footprint and height limits in Section 12(C)(1)(b)(i) and Section 12(C)(1)(c)(i), above.
- d. An approved plan for expansion of a nonconforming structure must be recorded by the applicant with the Registry of Deeds, within ninety (90) days of approval. The recorded plan must show the existing and proposed footprint of the nonconforming structure, the existing and proposed structure height, the footprint of any other structures on the parcel, the shoreland zone boundary and evidence of approval by the municipal review authority.

### 2. Relocation:

A non-conforming structure may be relocated within the boundaries of the parcel on which the structure is located, provided that the site of relocation conforms to all setback requirements to the greatest practical extent as determined by the Planning Board or its designee, and provided that the applicant demonstrates that the present subsurface sewage disposal system meets the requirements of State law and the State of Maine Subsurface Wastewater Disposal Rules, or that a new system can be installed in compliance with the law and said Rules. In no case shall a structure be relocated in a manner that causes the structure to be more non-conforming.

In determining whether the building relocation meets the setback to the greatest practical extent, the Planning Board or its designee shall consider the size of the lot, the slope of the land, the potential for soil erosion, the location of other structures on the property and on adjacent properties, the location of the septic system and other on-site soils suitable for septic systems, and the type and amount of vegetation to be removed to accomplish the relocation. When it is necessary to remove vegetation within the water or wetland setback area in order to relocate a structure, the Planning Board shall require replanting or native

vegetation to compensate for the destroyed vegetation. In addition, the area from which the relocated structure was removed must be replanted with vegetation.

#### Replanting shall be required as follows:

- a. Trees removed in order to relocate a structure must be replanted with at least one native tree, three (3) feet in height, for every tree removed. If more than five trees are planted, no one species of tree shall make up more than 50% of the number of trees planted. Replaced trees must be planted no further from the water or wetland than the trees that were removed.
  - Other woody and herbaceous vegetation, and ground cover, that are removed or destroyed in order to relocate a structure must be re-established. An area at least the same size as the area where vegetation and/or ground cover was disturbed, damaged, or removed must be re-established within the setback area. The vegetation and/or ground cover must consist of similar native vegetation and/or ground cover that was disturbed, destroyed or removed.
- b. Where feasible, when a structure is relocated on a parcel the original location of the structure shall be replanted with vegetation which may consist of grasses, shrubs, trees, or a combination thereof.

### 3. Reconstruction or Replacement:

Any non-conforming structure which is located less than the required setback from a water body, tributary stream, or wetland and which is removed, or damaged or destroyed, regardless of the cause, by more than fifty (50%) percent of the market value of the structure before such damage, destruction or removal, may be reconstructed or replaced provided that a permit is obtained within eighteen (18) months of the date of said damage, destruction, or removal, and provided that such reconstruction or replacement is in compliance with the water body, tributary stream or wetland setback requirement to the greatest practical extent as determined by the Planning Board or its designee in accordance, with the purposes of this Ordinance. In no case shall a structure be reconstructed or replaced so as to increase its non-conformity. If the reconstructed or replacement structure is less than the required setback it shall not be any larger than the original structure, except as allowed pursuant to Section 12(C)(1) above, as determined by the non-conforming floor area and volume of the reconstructed or replaced structure at its new location. If the total amount of floor area and volume of the original structure can be relocated or reconstructed beyond the required setback area, no portion of the relocated or reconstructed structure shall be replaced or constructed at less than the setback requirement for a new structure. When it is necessary to remove vegetation in order to replace or reconstruct a structure, vegetation shall be replanted in accordance with Section 12(C)(2) above.

Any non-conforming structure which is located less than the required setback from a water body, tributary stream, or wetland and which is removed by fifty (50%) percent or less of the market value, or damaged or destroyed by fifty (50%) percent or less of the market value of the structure, excluding normal maintenance and repair, may be

reconstructed in place if a permit is obtained, from the Code Enforcement Officer within one year of such damage, destruction, or removal.

In determining whether the building reconstruction or replacement meets the setback to the greatest practical extent the Planning Board or its designee shall consider in addition to the criteria in Section 12(C)(2) above, the physical condition and type of foundation present, if any.

# 4. Change of Use of a Non-Conforming Structure:

The use of a non-conforming structure may not be changed to another use unless the Planning Board, after receiving a written application, determines that the new use will have no greater adverse impact on the water body, tributary stream, or wetland, or on the subject or adjacent properties and resources than the existing use.

In determining that no greater adverse impact will occur, the Planning Board shall require written documentation from the applicant, regarding the probable effects on public health and safety, erosion and sedimentation, water quality, fish and wildlife habitat, vegetative cover, visual and actual points of public access to waters, natural beauty, flood plain management, archaeological and historic resources, and other functionally water-dependent uses.

### **D. Non-Conforming Uses**

### 1. Expansions:

Expansions of non-conforming uses are prohibited, except that non-conforming residential uses may, after obtaining a permit from the Planning Board, be expanded within existing residential structures or within expansions of such structures as allowed in Section12(C) (1)(a) above.

# 2. Resumption Prohibited:

A lot, building or structure in or on which a non-conforming use is discontinued for a period exceeding one year, or which is superseded by a conforming use, may not again be devoted to a non-conforming use except that the Planning Board may, for good cause shown by the applicant, grant up to a one year extension to that time period. This provision shall not apply to the resumption of a use of a residential structure, provided that the structure has been used or maintained for residential purposes during the preceding five (5) year period.

# 3. Change of Use:

An existing non-conforming use may be changed to another non-conforming use provided that the proposed use has no greater adverse impact on the subject and adjacent properties and resources, than the former use, as determined by the Planning Board. The determination of no greater adverse impact shall be made according to criteria listed in Section 12(C) (4) above.

### E. Non-Conforming Lots

### 1. Non-Conforming Lots:

A non-conforming lot of record as of the effective date of this Ordinance or amendment thereto may be built upon, without the need for a variance, provided that such lot is in separate ownership and not contiguous with any other lot in the same ownership, and that all provisions of this Ordinance except lot area, lot width and shore frontage can be met. Variances relating to setback or other requirements not involving lot area, lot width or shore frontage shall be obtained by action of the Board of Appeals.

### 2. Contiguous Built Lots:

If two or more contiguous lots or parcels are in single or joint ownership of record at the time of adoption of this Ordinance, if all or part of the lots do not meet the dimensional requirements of this Ordinance, and if a principal use or structure exists on each lot, the non-conforming lots may be conveyed separately or together, provided that the State Minimum Lot Size Law (12 M.R.S.A. sections 4807-A through 4807-D) and the State of Maine Subsurface Wastewater Disposal Rules are complied with.

If two or more principal uses or structures existed on a single lot of record on the effective date of this ordinance, each may be sold on a separate lot provided that the above referenced law and rules are complied with. When such lots are divided each lot thus created must be as conforming as possible to the dimensional requirements of this Ordinance.

# 3. Contiguous Lots – Vacant or Partially Built:

If two or more contiguous lots or parcels are in single or joint ownership of record at the time of, or since adoption or amendment of this Ordinance, if any of these lots do not individually meet the dimensional requirements of this Ordinance or subsequent amendments, and if one or more of the lots are vacant or contain no principal structure; the lots shall be combined to the extent necessary to meet the dimensional requirements.

This provision shall not apply to two (2) or more contiguous lots, at least one of which is non-conforming, owned by the same person or persons on March 2, 1991 the effective date of this Ordinance and recorded in the registry of deeds if the lot is served by a public sewer or can accommodate a subsurface sewage disposal system in conformance with the State of Maine Subsurface Wastewater Disposal Rules; and

- a. Each lot contains at least one hundred (100) feet of shore frontage and at least twenty thousand (20,000) square feet of lot area; or
- b. Any lots that do not meet the frontage and lot size requirements of Section 12(E)(3)(a) are reconfigured or combined so that each new lot contains at least one hundred (100) feet of shore frontage and twenty thousand (20,000) square feet of lot area.

#### **Section 13: Establishment of Districts**

### A. Resource Protection District

The Resource Protection District includes areas in which development would adversely affect water quality, productive habitat, biological ecosystems, or scenic and natural values. This district shall include the following areas when they occur within the limits of the shoreland zone, exclusive of the Stream Protection District.

1. Areas within two hundred and fifty (250) feet, horizontal distance, of the upland edge of freshwater wetlands, and wetlands associated with great ponds and rivers, which are rated "moderate" or "high" value waterfowl and wading bird habitat, including nesting and feeding areas, by the Maine Department of Inland Fisheries and Wildlife (MDIF&W) that are depicted on a Geographic Information System (GIS) data layer maintained by either MDIF&W or the Department as of May 1, 2006. For the purposes of this paragraph "wetlands associated with great ponds and rivers" shall mean areas characterized by non-forested wetland vegetation and hydric soils that are contiguous with a great pond or river, and have a surface elevation at or below the water level of the great pond or river during the period of normal high-water. "Wetlands associated with great ponds or rivers" are considered to be part of that great pond or river.

Habitat for species appearing on the official state or federal lists of endangered or threatened species; high and moderate value deer wintering areas and travel corridors as defined by the Department of Inland Fisheries and Wildlife; high and moderate value waterfowl and wading bird habitats, including nesting and feeding areas as defined by the Department of Inland Fisheries and Wildlife; critical spawning and nursery areas for Atlantic sea run salmon as defined by the Atlantic Sea Run Salmon Commission; and shorebird nesting, feeding and staging areas and seabird nesting islands as defined by the Department of Inland Fisheries and Wildlife

- 2. Flood-plains along rivers and flood-plains along artificially formed great ponds along rivers, defined by the one hundred (100) year flood-plain as designated on the Federal Emergency Management Agency's (FEMA) Flood Insurance Rate Maps or Flood Hazard Boundary Maps, or the flood of record, or in the absence of these, by soil types identified as recent flood-plains soils. This district shall also include one hundred (100) year flood-plains adjacent to tidal waters as shown on FEMA's Flood Insurance Rate Maps or Flood Hazard Boundary Maps.
- 3. Areas of two (2) or more contiguous acres with sustained slopes of twenty (20) percent or greater.
- 4. Areas of two (2) or more contiguous acres supporting wetland vegetation and hydric soils, which are not part of a freshwater or coastal wetland as defined, and which are not surficially connected to a water body during the period of normal high-water.
- 5. Land areas along rivers subject to severe bank erosion, undercutting, or river bed movement.

# B. <u>Limited Residential District</u>

The Limited Residential District includes those areas suitable for residential and recreation development. It includes areas other than those in the Resource Protection District, or Stream Protection District.

### C. Stream Protection District

The Stream Protection District includes all land areas within seventy-five (75) feet, horizontal distance, of the normal high-water line of a stream, exclusive of those areas within two-hundred and fifty (250) feet, horizontal distance, of the normal high-water line of a great pond, or river, or within two hundred and fifty (250) feet, horizontal distance, of the upland edge of a freshwater or coastal wetland. Where a stream and its associated shoreland area are located within two-hundred and fifty (250) feet, horizontal distance, of the above water bodies or wetlands, that land area shall be regulated under the terms of the shoreland district associated with that water body or wetland.

### **Section 14: Table of Land Uses**

All land use activities, as indicated in Table 1, Land Uses in the Shoreland Zone, shall conform to all of the applicable land use standards in Section 15. The district designation for a particular site shall be determined from the Official Shoreland Zoning Map.

### Key to Table 1:

Yes-Allowed (No permit required but the use must comply with all applicable land use standards.)

No - Prohibited

PB - Allowed with permit issued by the Planning Board

CEO - Allowed with permit issued by the Code Enforcement Officer

LPI - Allowed with permit issued by the Local Plumbing Inspector

### Abbreviations:

RP – Resource Protection

LR - Limited Residential

SP - Stream Protection

# <u>Table 1 – Permit Stipulations: (See Chart on Pages 14 & 15 16)</u>

- In RP not allowed within seventy-five (75) feet horizontal distance, of the normal high-water line of great ponds, except to remove safety hazards.
- 2. Requires permit from the Code Enforcement Officer if more than one hundred (100) sq. ft. of surface area, in total, is disturbed.
- 3. In RP not allowed in areas so designated because of wildlife value.

- 4. Provided that a variance from the setback requirement is obtained from the Board of Appeals.
- Functionally water-dependent uses and uses accessory to such water dependent uses only.
- 6. See further restrictions in Section 15-L-2.
- 7. Except when area is zoned for resource protection due to flood-plain criteria in which case a permit is required from the PB.
- 8. Except as provided in Section 15(H)(4).
- 9. Single family residential structures may be allowed by special exception only according to the provisions of Section 16(E), Special Exceptions. Two family residential structures are prohibited.
- 10. Except for commercial uses otherwise listed in this Table, such as marinas and campgrounds, that are allowed in the respective district.
- 11. Excluding bridges and other crossings not involving earthwork, in which case no permit is required.
- 12. Permit not required but must file a written "notice of intent to construct" with CEO.

# 12.13. Town Planner to determine if uses are similar.

Table 1– Land Uses in the Shoreland Zone

SP	RP	LR	
Yes	Yes	Yes	
Yes	Yes	Yes	
Yes	Yes	Yes	
Yes	CEO	Yes	
CEO	CEO 1	Yes	
Yes	Yes	Yes	
Yes	Yes	Yes	
Yes	Yes	Yes	
No	Yes 2	Yes 2	
No	PB 3	PB	
Yes	Yes	Yes	
Yes	Yes	Yes	
Yes	PB	Yes	
PB	PB	PB	
	Yes Yes Yes Yes Yes CEO Yes Yes Yes Yes Yes Yes No No No Yes Yes Yes Yes	Yes         Yes           Yes         Yes           Yes         Yes           Yes         CEO           CEO         CEO 1           Yes         Yes           Yes         Yes           Yes         Yes           No         Yes 2           No         PB 3           Yes         Yes           Yes         Yes           Yes         Yes           Yes         Yes           Yes         PB	Yes         Yes         Yes           Yes         Yes         Yes           Yes         Yes         Yes           Yes         Yes         Yes           CEO         CEO         Yes           Yes         Yes         Yes           Yes         Yes         Yes           Yes         Yes         Yes           No         Yes         Yes           Yes         Yes         Yes

A. One and two family residential, including driveways B. Multi-unit residential No No No PB C. Commercial No No 10 No 10 D. Industrial No No No No No PB F. Small non-residential facilities for educational, scientific, or nature interpretation purposes PF. Small non-residential facilities for educational, scientific, or nature interpretation purposes PF. Small non-residential facilities for educational, scientific, or nature interpretation purposes PF. Small non-residential facilities for educational, scientific, or nature interpretation purposes PF. Small non-residential facilities for educational, scientific, or nature interpretation purposes PF. Small non-residential facilities for educational, scientific, or nature interpretation purposes PF. Small non-residential facilities for educational, scientific, or nature interpretation purposes PF. Small non-residential facilities for educational, scientific, or nature interpretation purposes PF. Small non-residential facilities for educational, scientific, or nature interpretation purposes PF. Small non-residential facilities for educational, scientific, or nature interpretation purposes PF. Small non-residential facilities for educational, scientific, or nature interpretation purposes PF. Small non-residential scientific for educational, scientific, or nature interpretation purposes PF. Small non-residential scientific for educational, scientific, or nature interpretation purposes PF. Small non-residential facilities for educational, scientific, or nature interpretation purposes PF. Small non-residential facilities for educational, scientific, or nature interpretation purposes PF. Small non-residential facilities for educational, scientific, or nature interpretation purposes PF. Small non-residential facilities for educational, scientific, or nature interpretation purposes PF. Small non-residential facilities for educational, scientific, or nature interpretation purposes PFB. PFB. PFB. PFB. PFB. PFB. PFB. PFB. PFB. PFFB. PFFB. PFFB. PFFFB. PFFFB. PFFFFB. PFFFFFFF	Principal structures and uses:			
C. Commercial  D. Industrial  D. Industrial  No No No No No  E. Governmental and institutional  F. Small non-residential facilities for educational, scientific, or nature interpretation purposes  F. Small non-residential facilities for educational, scientific, or nature interpretation purposes  PB 4 PB CEO  Structures accessory to allowed uses  PB 4 PB CEO  Structures accessory to allowed uses  PB 4 PB CEO  Structures accessory to allowed uses  PB 4 PB CEO  CEO CEO CEO CEO CEO II II IPB II PB PB  CONversions of seasonal residences to year-round residences  LPI LPI LPI LPI  LPI LPI LPI  LPI LPI LPI LPI  Essential services  PB 6 PB 6 PB  A. Roadside distribution lines (34.5kV and lower)  C. Non-roadside or cross-country distribution lines involving ten poles or less in the shoreland zone  C. Non-roadside or cross-country distribution lines involving eleven or more poles in the shoreland zone  D. Other essential services  PB 6 PB 6 PB  PB PB PB  PB PB  PB PB PB  PB PB PB  PB PB PB  PB PB PB PB  PB PB PB PB PB  PB PB PB PB PB PB  PB PB PB PB PB PB PB PB PB PB PB PB PB P	A. One and two family residential, including driveways		PB 9	CEO
D. Industrial  E. Governmental and institutional  F. Small non-residential facilities for educational, scientific, or nature interpretation purposes  F. Small non-residential facilities for educational, scientific, or nature interpretation purposes  PB 4 PB CEO  Structures accessory to allowed uses  PB 4 PB CEO  Structures accessory to allowed uses  PB 4 PB CEO  Structures accessory to allowed uses  PB 4 PB CEO  Structures accessory to allowed uses  PB 4 PB CEO  CEO CEO CEO CEO II  II PB II PB PB  Conversions of seasonal residences to year-round residences  LPI LPI LPI LPI  LPI LPI  Essential services  PB 6 PB 6 PB  A. Roadside distribution lines (34.5kV and lower)  B. Non-roadside or cross-country distribution lines involving ten poles or less in the shoreland zone  C. Non-roadside or cross-country distribution lines involving eleven or more poles in the shoreland zone  D. Other essential services  PB 6 PB 6 PB 6 PB  Service drops, as defined, to allowed uses  Yes Yes Yes  Public and private recreational areas involving minimal structural development  Individual, private campsites  CEO CEO CEO CEO  CEO CEO  CEO CEO  CEO CEO  CEO				
E. Governmental and institutional F. Small non-residential facilities for educational, scientific, or nature interpretation purposes PB 4 PB CEO  Structures accessory to allowed uses PB 4 PB CEO  Structures accessory to allowed uses PB 4 PB CEO  Structures accessory to allowed uses PB 4 PB CEO  Structures accessory to allowed uses PB 4 PB CEO  Structures accessory to allowed uses PB 4 PB CEO  Structures accessory to allowed uses PB 4 PB CEO  Structures accessory to allowed uses PB 4 PB CEO  Structures accessory to allowed uses PB 4 PB CEO  CEO CEO CEO CEO 11  LPI LPI LPI LPI  Conversions of seasonal residences to year-round residences PB 1 PB A. Roadside distribution lines (34.5kV and lower) PB 6 PB 6 PB 6 PB 0 PB 6 PB 6 PB 6 PB 0 PB 6 PB 6 PB 6 PB 6 PB 0 PB 0 PB 6 PB 6 PB 6 PB 6 PB 6 PB 6				No 10
F. Small non-residential facilities for educational, scientific, or nature interpretation purposes  Structures accessory to allowed uses PB 4 PB CEO  Structures accessory to allowed uses Piers, docks, wharfs, bridges and other structures and uses extending over or below the normal high-water line or within a wetland  A. Temporary B. Permanent Conversions of seasonal residences to year-round residences LPI Essential services PB 6 PB 6 PB A. Roadside distribution lines (34.5kV and lower) D. Non-roadside or cross-country distribution lines involving eleven or more poles in the shoreland zone C. Non-roadside or cross-country distribution lines D. Other essential services PB 6 PB 6 PB P	D. Industrial	No	No	No
scientific, or nature interpretation purposes  Structures accessory to allowed uses PB 4 PB CEO  Piers, docks, wharfs, bridges and other structures and uses extending over or below the normal high-water line or within a wetland A. Temporary B. Permanent Pill PB 11 PB PB  Conversions of seasonal residences to year-round residences LPI LPI LPI  Home occupations PB PB PB PFivate sewage disposal systems for allowed uses LPI LPI LPI  Essential services PB 6 PB 6 PB 6 PB PB A. Roadside distribution lines (34.5kV and lower) C. Non-roadside or cross-country distribution lines involving ten poles or less in the shoreland zone C. Non-roadside or cross-country distribution lines involving eleven or more poles in the shoreland zone D. Other essential services PB 6 PB 6 PB 6 PB Service drops, as defined, to allowed uses Yes Yes Public and private recreational areas involving PB P	E. Governmental and institutional	No	No	PB
Structures accessory to allowed uses PB 4 PB CEO  Piers, docks, wharfs, bridges and other structures and uses extending over or below the normal high-water line or within a wetland A. Temporary B. Permanent Conversions of seasonal residences to year-round residences LPI LPI LPI Home occupations PB PB PB PFI Essential services A. Roadside distribution lines (34.5kV and lower) C. Non-roadside or cross-country distribution lines involving ten poles or less in the shoreland zone C. Non-roadside or cross-country distribution lines involving eleven or more poles in the shoreland zone D. Other essential services PB 6 PB 6 Service drops, as defined, to allowed uses PB 6 PB 6 PB Service drops, as defined, to allowed uses PB 6 PB P	<ul> <li>F. Small non-residential facilities for educational,</li> </ul>			
Piers, docks, wharfs, bridges and other structures and uses extending over or below the normal high-water line or within a wetland  A. Temporary B. Permanent Conversions of seasonal residences to year-round residences LPI	scientific, or nature interpretation purposes	PB 4	PB	CEO
uses extending over or below the normal high-water line or within a wetland  A. Temporary B. Permanent II PB II PB II PB II PB II PB PB  Conversions of seasonal residences to year-round residences LPI Home occupations PB	Structures accessory to allowed uses	PB 4	PB	CEO
or within a wetland A. Temporary B. Permanent 11 PB 11 PB 11 PB PB Conversions of seasonal residences to year-round residences LPI LPI LPI LPI LPI LPI LPI Exprivate sewage disposal systems for allowed uses LPI Essential services PB 6 PB 6 PB A. Roadside distribution lines (34.5kV and lower) B. Non-roadside or cross-country distribution lines involving ten poles or less in the shoreland zone C. Non-roadside or cross-country distribution lines involving eleven or more poles in the shoreland zone D. Other essential services PB 6	Piers, docks, wharfs, bridges and other structures and			
A. Temporary B. Permanent Conversions of seasonal residences to year-round residences LPI	uses extending over or below the normal high-water line			
B. Permanent	or within a wetland			
Conversions of seasonal residences to year-round residences  LPI LPI LPI Home occupations PB P		CEO	CEO	CEO 11
Home occupations PB PB PB PB Private sewage disposal systems for allowed uses LPI LPI LPI Essential services PB 6 PB 6 PB A. Roadside distribution lines (34.5kV and lower) B. Non-roadside or cross-country distribution lines involving ten poles or less in the shoreland zone C. Non-roadside or cross-country distribution lines involving eleven or more poles in the shoreland zone D. Other essential services PB 6 PB 6 PB P		11 PB		
Private sewage disposal systems for allowed uses  Essential services  A. Roadside distribution lines (34.5kV and lower)  B. Non-roadside or cross-country distribution lines involving ten poles or less in the shoreland zone  C. Non-roadside or cross-country distribution lines involving eleven or more poles in the shoreland zone  D. Other essential services  PB 6  PB 7  PB 9  P	Conversions of seasonal residences to year-round residences			
Essential services PB 6 PB 6 PB 6 PB A. Roadside distribution lines (34.5kV and lower) CEO 6 CEO 6 Yes 12  B. Non-roadside or cross-country distribution lines involving ten poles or less in the shoreland zone  C. Non-roadside or cross-country distribution lines involving eleven or more poles in the shoreland zone  D. Other essential services PB 6 PB 6 PB  Service drops, as defined, to allowed uses Yes Yes Yes PB PB  PB PB PB PB  Individual, private recreational areas involving minimal structural development  Individual, private campsites CEO CEO CEO  Campgrounds No No 7 PB  Road construction PB No 8 PB  Land management roads Yes PB Yes  Parking facilities No No No 7 PB  Marinas PB No PB  Filling and earth moving of < 10 cubic yards PB PB CEO  Signs Yes Yes  Ves Yes  Yes  Yes  Yes  Yes  Yes  Yes  Ye		PB	PB	PB
A. Roadside distribution lines (34.5kV and lower)  B. Non-roadside or cross-country distribution lines involving ten poles or less in the shoreland zone  C. Non-roadside or cross-country distribution lines involving eleven or more poles in the shoreland zone  D. Other essential services  PB 6  PB 6  PB 6  PB 6  PB  PB  PB  PB  PB  PB  PB  PB  PB  P	Private sewage disposal systems for allowed uses	LPI	LPI	LPI
B. Non-roadside or cross-country distribution lines involving ten poles or less in the shoreland zone  C. Non-roadside or cross-country distribution lines involving eleven or more poles in the shoreland zone  D. Other essential services  PB 6 PB 6 PB 6 PB	Essential services	PB 6	PB 6	PB
involving ten poles or less in the shoreland zone  C. Non-roadside or cross-country distribution lines involving eleven or more poles in the shoreland zone  D. Other essential services  PB 6 PB 6 PB	A. Roadside distribution lines (34.5kV and lower)	CEO 6	CEO 6	Yes 12
C. Non-roadside or cross-country distribution lines involving eleven or more poles in the shoreland zone  D. Other essential services  Service drops, as defined, to allowed uses  PB 6  PB 6  PB 6  PB  PB  PB  PB  PB  PB  PB  PB  PB  P	B. Non-roadside or cross-country distribution lines	PB 6	PB 6	CEO
Involving eleven or more poles in the shoreland zone   D. Other essential services   PB 6   PB 6   PB	involving ten poles or less in the shoreland zone			
D. Other essential services         PB 6         PB 6         PB           Service drops, as defined, to allowed uses         Yes         Yes         Yes           Public and private recreational areas involving minimal structural development         PB         PB         PB           Individual, private campsites         CEO         CEO         CEO           Campgrounds         No         No 7         PB           Road construction         PB         No 8         PB           Land management roads         Yes         PB         Yes           Parking facilities         No         No 7         PB           Marinas         PB         No         PB           Filling and earth moving of < 10 cubic yards	C. Non-roadside or cross-country distribution lines	PB 6	PB 6	PB
Service drops, as defined, to allowed uses         Yes         Yes         Yes           Public and private recreational areas involving minimal structural development         PB         PB         PB           Individual, private campsites         CEO         CEO         CEO           Campgrounds         No         No         7         PB           Road construction         PB         No         8         PB           Land management roads         Yes         PB         Yes           Parking facilities         No         No         7         PB           Marinas         PB         No         PB           Filling and earth moving of < 10 cubic yards	involving eleven or more poles in the shoreland zone			
Public and private recreational areas involving minimal structural development Individual, private campsites  CEO CEO CEO CEO CEO CEO CEO CEO CEO CE	D. Other essential services		PB 6	
minimal structural development         CEO         CEO         CEO           Campgrounds         No         No 7         PB           Road construction         PB         No 8         PB           Land management roads         Yes         PB         Yes           Parking facilities         No         No 7         PB           Marinas         PB         No         PB           Filling and earth moving of < 10 cubic yards	Service drops, as defined, to allowed uses	Yes	Yes	Yes
Individual, private campsites	Public and private recreational areas involving	PB	PB	PB
Campgrounds         No         No 7         PB           Road construction         PB         No 8         PB           Land management roads         Yes         PB         Yes           Parking facilities         No         No 7         PB           Marinas         PB         No         PB           Filling and earth moving of < 10 cubic yards				
Road construction         PB         No 8         PB           Land management roads         Yes         PB         Yes           Parking facilities         No         No 7         PB           Marinas         PB         No         PB           Filling and earth moving of < 10 cubic yards				
Land management roads         Yes         PB         Yes           Parking facilities         No         No 7         PB           Marinas         PB         No         PB           Filling and earth moving of < 10 cubic yards	Campgrounds	No	No 7	PB
Parking facilities         No         No 7         PB           Marinas         PB         No         PB           Filling and earth moving of < 10 cubic yards	Road construction	PB	No 8	PB
Marinas         PB         No         PB           Filling and earth moving of < 10 cubic yards		Yes	PB	
Filling and earth moving of < 10 cubic yards  Filling and earth moving of > 10 cubic yards  PB PB CEO Signs Yes Yes Yes Ves Uses similar to allowed uses  CEO 13 CEO 13 CEO 13 CEO 13 CEO 13	Parking facilities	No	No 7	PB
Filling and earth moving of > 10 cubic yards  PB PB CEO Signs Yes Yes Yes Uses similar to allowed uses CEO 13 CEO 13 CEO 13 CEO 13 CEO 13 CEO 13	Marinas	PB	No	PB
Signs         Yes         Yes         Yes           Uses similar to allowed uses         CEO 13         CEO 13         CEO 13           Uses similar to uses requiring a CEO permit         CEO 13         CEO 13         CEO 13	Filling and earth moving of < 10 cubic yards	CEO	CEO	Yes
Uses similar to allowed uses         CEO 13         CEO 13         CEO 13           Uses similar to uses requiring a CEO permit         CEO 13         CEO 13         CEO 13	Filling and earth moving of > 10 cubic yards	PB	PB	CEO
Uses similar to uses requiring a CEO permit CEO 13 CEO 13 CEO 13	Signs	Yes		Yes
	Uses similar to allowed uses	CEO 13		
Uses similar to uses requiring a PB permit PB_13 PB_13 PB_13	Uses similar to uses requiring a CEO permit	CEO 13	CEO 13	CEO 13
	Uses similar to uses requiring a PB permit	PB_13	PB_ <u>13</u>	PB <u>13</u>

# **Section 15: Land Use Standards**

All land use activities within the shoreland zone shall conform to the following provision, if applicable.

# A. Minimum Lot Standards:

Area (sa	ft )	Shoreland Fronta	ge (ft.)

1.	a.	Residential per Dwelling Unit	40,000	200
	b.	Public and private Recreational Facilities.	40,000	200
	c.	Governmental, Institutional, Commercial or Industrial per Principal structure.	60,000	300

- 2. Land below the normal high-water line of a water body or upland edge of a wetland and land beneath roads serving more than two (2) lots shall not be included toward calculating minimum lot area.
- 3. Lots located on opposite sides of a public or private road shall be considered each a separate tract, or parcel of land unless such road was established by the owner of land on both sides thereof after September 22, 1971.
- 4. The minimum width of any portion of any lot within one hundred (100) feet, horizontal distance, of the normal high-water line of a water body or upland edge of a wetland shall be equal to or greater than the shore frontage requirement for a lot with the proposed use.
- 5. If more than one residential dwelling unit, principal, governmental, institutional, commercial or industrial structure or use, or combination thereof, is constructed or established on a single parcel, all dimensional requirements shall be met for each additional dwelling unit, principal structure, or use.

### B. Principal and Accessory Structures

1. All new principal and accessory structures shall be set back at least one hundred (100) feet, horizontal distance, from the normal high-water line of great ponds classified GPA and rivers that flow to great ponds classified GPA, and seventy-five (75), horizontal distance, feet from the normal high-water line of other water bodies, tributary streams, or the upland edge of a wetland. In the Resource Protection District the setback requirement shall be two hundred and fifty (250) feet, horizontal distance, except for structures, roads, parking spaces or other regulated objects specifically allowed in that district in which case the setback requirements specified above shall apply.

# In addition:

- a. The water body, tributary stream, or wetland setback provisions shall neither apply to structures which require direct access to the water body or wetland as an operational necessity, such as piers, docks and retaining walls, nor to other functionally water-dependent uses.
- b. On a non-conforming lot of record on which only a residential structure exists, and it is not possible to place an accessory structure meeting the required water body, tributary stream or wetland setbacks, the Code Enforcement Officer may issue a permit to place a single accessory structure, with no utilities, for the storage of yard tools and similar equipment. Such accessory structure shall not exceed eighty (80) square feet in area nor eight (8) feet in height, and shall be located as far from the shoreline or tributary stream as practical and shall meet all other applicable standards, including lot coverage and vegetation clearing limitations. In no case shall the structure be located closer to the shoreline or tributary stream than the principal structure.
- 4. Principal or accessory structures and expansions of existing structures which are permitted in the Resource Protection, Limited Residential, and Stream Protection Districts, shall not exceed thirty-five (35) feet in height. This provision shall not apply to structures such as transmission towers, windmills, antennas, and similar structures having no floor area.
- 5. The lowest floor elevation or openings of all buildings and structures, including basements, shall be elevated at least one (1) foot above the elevation of the one hundred (100) year flood, the flood of record, or in the absence of these, the flood as defined by soil types identified as recent flood-plain soils. In those municipalities that participate in the National Flood Insurance Program and have adopted the April 2005 version, or later version, of the Floodplain Management Ordinance, accessory structures may be placed in accordance with the standards of that ordinance and need not meet the elevation requirements of this paragraph.
- 6. The total footprint area of all structures, parking lots and other non-vegetated surfaces, within the shoreland zone shall not exceed twenty (20) percent of the lot or a portion thereof, located within the shoreland zone, including land area previously developed.
- 7. Retaining walls that are not necessary for erosion control shall meet the structure setback requirement, except for low retaining walls and associated fill provided all of the following conditions are met:
  - a. The site has been previously altered and an effective vegetated buffer does not exist;
  - b. The wall(s) is (are) at least twenty-five (25) feet, horizontal distance, from the normal high-water line of a water body, tributary stream, or upland edge of a wetland;
  - The site where the retaining wall will be constructed is legally existing lawn or is a
    site eroding from lack of naturally occurring vegetation, and which cannot be
    stabilized with vegetation plantings;

- d. The total height of the wall(s), in the aggregate, is (are) no more than twenty-four (24) inches;
- e. Retaining walls are located outside of the one hundred (100) year flood-plain on rivers, streams, coastal wetlands, and tributary streams, as designated on the Federal Emergency Management structures, roads, parking spaces or other regulated objects specifically allowed in that district in which case the setback requirements specified above shall apply.
  - f. The area behind the wall is revegetated with grass, shrubs, trees, or a combination thereof, and no further structural development will occur within the setback area, including patios and decks; and
- g. A vegetated buffer area is established within twenty-five (25) feet, horizontal distance, of the normal high-water line of a water body, tributary stream, or upland edge of a wetland when a natural buffer area does not exist. The buffer area must meet the following characteristics:
  - The buffer must include shrubs and other woody and herbaceous vegetation.
     Where natural ground cover is lacking the area must be supplemented with leaf or bark mulch;
  - ii. Vegetation plantings must be in quantities sufficient to retard erosion and provide for effective infiltration of stormwater runoff;
  - iii. Only native species may be used to establish the buffer area;
  - iv. A minimum buffer width of fifteen (15) feet, horizontal distance, is required, measured perpendicularly to the normal high-water line or upland edge of a wetland:
  - v. A footpath not to exceed the standards in Section 15(P)(2)(a), may traverse the buffer:
  - NOTE: If the wall and associated soil disturbance occurs within seventy-five (75) feet, horizontal distance, of a water body, tributary stream or coastal wetland, a permit pursuant to the Natural Resource Protection Act is required from the Department of Environmental Protection.
- 8. Notwithstanding the requirements stated above, stairways or similar structures may be allowed with a permit from the Code Enforcement Officer, to provide shoreline access in areas of steep slopes or unstable soils provided: that the structure is limited to a maximum of four (4) feet in width; that the structure does not extend below or over the normal high-water line of a water body or upland edge of a wetland, (unless permitted by the Department of Environmental Protection pursuant to the Natural Resources Protection Act, 38 M.R.S.A. section 480-C); and that the applicant demonstrates that no reasonable access alternative exists on the property.

# C. <u>Piers, Docks, Wharfs, Bridges and Other Structures and Uses Extending Over or Below the Normal High-Water Line of a Water Body or Within a Wetland</u>

- Access from shore shall be developed on soils appropriate for such use and constructed so as to control erosion.
- 2. The location shall not interfere with existing developed or natural beach areas.
- 3. The facility shall be located so as to minimize adverse effects on fisheries.
- 4. The facility shall be no larger in dimension than necessary to carry on the activity and be consistent with the surrounding character and uses of the area. A temporary pier, dock or wharf shall not be wider than six (6) feet for non-commercial uses.
- 5. No new structure shall be built on, over or abutting a pier, wharf, dock or other structure extending beyond the normal high-water line of a water body or within a wetland unless the structure requires direct access to the water body or wetland as an operational necessity.
- 6. New permanent piers and docks on non-tidal waters shall not be permitted unless it is clearly demonstrated to the Planning board that a temporary pier or dock is not feasible, and a permit has been obtained from the Department of Environmental Protection, pursuant to the Natural Resources Protection Act.
- 7. No existing structures built on, over or abutting a pier, dock, wharf or other structure extending beyond the normal high-water line of a water body or within a wetland shall be converted to residential dwelling units in any district.
- 8. Structures built on, over or abutting a pier, wharf, dock or other structure extending beyond the normal high-water line of a water body or within a wetland shall not exceed twenty (20) feet in height above the pier, wharf, dock or other structure.

### D. Campgrounds

Campgrounds shall conform to the minimum requirements imposed under State licensing procedures and the following:

- Campgrounds shall contain a minimum of five thousand (5,000) square feet of land, not
  including roads and driveways, for each site. Land supporting wetland vegetation, and
  land below the normal high-water line of a water body shall not be included in
  calculating land area per site.
- 2. The areas intended for placement of a recreational vehicle, tent or shelter, and utility and service buildings shall be set back a minimum of one hundred (100) feet, horizontal distance, from the normal high-water line of a great pond classified GPA or a river flowing to a great pond classified GPA, and seventy-five (75) feet, horizontal distance, from the normal high-water line of other water bodies, tributary streams, or the upland edge of a wetland.

# E. Individual-Private Campsites

Individual-private campsites not associated with campgrounds are allowed provided the following conditions are met:

- 1. One campsite per lot existing on the effective date of the Ordinance, or thirty thousand (30,000) square feet of lot area within the shoreland zone, whichever is less, may be permitted.
- When an individual private campsite is proposed on a lot that contains another principal use and/or structure, the lot must contain the minimum lot dimensional requirements for the principal structure and/or use, and the individual private campsite separately.
- 3. Campsite placement of any lot, including the area intended for a recreational vehicle or tent platform, shall be set back one hundred (100) feet, horizontal distance, from the normal high-water line of a great pond classified GPA or river flowing to a great pond classified GPA, and seventy-five (75) feet, horizontal distance, from the normal highwater line of other water bodies, tributary streams, or the upland edge of a wetland.
- 4. Only one recreational vehicle shall be allowed on a campsite. The recreational vehicles shall not be located on any type of permanent foundation except for a gravel pad, and no structure except a canopy shall be attached to the recreational vehicle.
- 5. The clearing of vegetation for the siting of the recreational vehicle, tent or similar shelter in a Resource Protection District shall be limited to one thousand (1,000) square feet.
- 6. A written sewage disposal plan describing the proposed method and location of sewage disposal shall be required for each campsite and shall be approved by the Local Plumbing Inspector. Where disposal is off-site, written authorization from the receiving facility or land owner is required.
- 7. When a recreational vehicle, tent or similar shelter is placed on-site for more than one hundred and twenty (120) days per year, all requirements for residential structures shall be met, including the installation of a subsurface sewage disposal system in compliance with the State of Maine Subsurface Wastewater Disposal Rules unless served by public sewage facilities.

# F. Commercial and Industrial Uses

The following new commercial and industrial uses are prohibited within the shoreland zone adjacent to great ponds classified GPA, and rivers and streams which flow to great ponds classified GPA:

- 1. Auto washing facilities
- 2. Auto or other vehicle service and/or repair operation, including body shops.
- 3. Chemical and bacteriological laboratories
- 4. Storage of chemicals, including herbicides, pesticides or fertilizers other than amounts normally associated with individual households or farms.

- 5. Commercial painting, wood preserving, and furniture stripping
- 6. Dry cleaning establishments
- 7. Electronic circuit assembly
- 8. Laundromats, unless connected to a sanitary sewer
- 9. Metal plating, finishing, or polishing
- 10. Petroleum or petroleum product storage and/or sale except storage on same property as use occurs and except for storage and sales associated with marinas
- 11. Photographic processing
- 12. Printing

### G. Parking Areas

- Parking areas shall meet the shoreline and tributary stream setback requirements for structures for the district in which such areas are located. The setback requirement for parking areas serving public boat launching facilities shall be no less than fifty (50) feet, horizontal distance, from the shoreline or tributary stream if the Planning Board finds that no other reasonable alternative exists further from the shoreline or tributary stream.
- Parking areas shall be adequately sized for the proposed use and shall be designed to prevent storm water runoff from flowing directly into a water body, tributary stream or wetland and where feasible, to retain all runoff on-site.
- 3. In determining the appropriate size of proposed parking facilities, the following shall apply:
  - a. Typical parking space: Approximately ten (10) feet wide and twenty (20) feet long, except that parking spaces for a vehicle and boat trailer shall be forty (40) feet long.
  - b. Internal travel aisles: Approximately twenty (20) feet wide.

# H. Roads and Driveways

The following standards shall apply to the construction of roads and/or driveways and drainage systems, culverts and other related features.

1. Roads and driveways shall be set back at least one hundred (100) feet, horizontal distance, from the normal high-water line of a great pond classified GPA or a river that flows to a great pond classified GPA, and seventy-five (75) feet, horizontal distance, from the normal high-water line of other water bodies, tributary streams, or the upland edge of a wetland unless no reasonable alternative exists as determined by the Planning Board. If no other reasonable alternative exists, the road and/or driveway setback requirement shall be no less than fifty (50) feet, horizontal distance, upon clear showing by the applicant

that appropriate techniques will be used to prevent sedimentation of the water body, tributary stream, or wetland. Such techniques may include, but are not limited to, the installation of settling basins, and/or the effective use of additional ditch relief culverts and turnouts placed so as to avoid sedimentation of the water body, tributary stream or wetland. On slopes of greater than twenty (20) percent the roadand/or driveway setback shall be increased by ten (10) feet, horizontal distance, for each five (5) percent increase in slope above twenty (20) percent.

Section 15 (H)(1) does not apply to approaches to water crossings or to roads or driveways that provide access to permitted structures and facilities located nearer to the shoreline or tributary stream due to an operational necessity, excluding temporary docks for recreational uses. Roads and driveways providing access to permitted structures within the setback area shall comply fully with the requirements of Section 15(H)(1) except for that portion of the road or driveway necessary for direct access to the structure.

- Existing public roads may be expanded within the legal road right-of-way regardless of its setback from a water body, tributary stream or wetland.
- 3. New roads and driveways are prohibited in a Resource Protection District except that the Planning Board may grant a permit to construct a road or driveway to provide access to permitted uses within the district. A road or driveway may also be approved by the Planning Board in a Resource Protection District, upon a finding that no reasonable alternative route or location is available outside the district. When a road or driveway is permitted in a Resource Protection District the road and/or driveway shall be set back as far as practicable from the normal high-water line of a water body, tributary stream, or upland edge of a wetland.
- 4. Road and driveway banks shall be no steeper than a slope of two (2) horizontal to one (1) vertical, and shall be graded and stabilized in accordance with the provisions for erosion and sedimentation control contained in Section 15(O).
- 5. Road and driveway grades shall be no greater than ten (10) percent except for short segments of less than two hundred (200) feet.
- 6. In order to prevent road and driveway surface drainage from directly entering water bodies, tributary streams or wetlands, roads and driveways shall be designed, constructed, and maintained to empty onto an unscarified buffer strip at least fifty (50) feet plus two (2) times the average slope, in width between the outflow point of the ditch or culvert and the normal high waterline of a water body, tributary stream, or upland edge of a wetland. Surface drainage which is directed to an unscarified buffer strip shall be diffused or spread out to promote infiltration of the runoff and to minimize channelized flow of the drainage through the buffer strip.
- 7. Ditch relief (cross drainage) culverts, drainage dips and water turnouts shall be installed in a manner effective in directing drainage onto unscarified buffer strips before the flow gains sufficient volume or head to erode the road, driveway, or ditch. To accomplish this, the following shall apply:

 Ditch relief culverts, drainage dips and associated water turnouts shall be spaced along the road, or driveway at intervals no greater than indicated in the following table:

Grade	Spacing
(percent)	(feet)
0-2	250
3-5	200-135
6-10	100-80
11-15	80-60
16-20	60-45
21+	40

- b. Drainage dips may be used in place of ditch relief culverts only where the grade is ten (10) percent or less.
- c. On sections having slopes greater than ten (10) percent, ditch relief culverts shall be placed at approximately a thirty (30) degree angle downslope from a line perpendicular to the centerline of the road or driveway.
- d. Ditch relief culverts shall be sufficiently sized and properly installed in order to allow for effective functioning, and their inlet and outlet ends shall be stabilized with appropriate materials.
- 8. Ditches, culverts, bridges, dips, water turnouts and other storm water runoff control installations associated with roads and driveways shall be maintained on a regular basis to assure effective functioning.

# I. Signs

The following provisions shall govern the use of signs in the Resource Protection, Stream Protection, and Limited Residential.

- 1. Signs relating to goods and services sold on the premises shall be allowed, provided that such signs shall not exceed six (6) square feet in area and shall not exceed two (2) signs per premises. Signs relating to goods or services not sold or rendered on the premises shall be prohibited.
- 2. Name signs are allowed, provided such signs shall not exceed two (2) signs per premises, and shall not exceed twelve (12) square feet in the aggregate.
- 3. Residential users may display a single sign not over three (3) square feet in area relating to the sale, rental, or lease of the premises.
- 4. Signs relating to trespassing and hunting shall be allowed without restriction as to number provided that no such sign shall exceed two (2) square feet in area.
- 5. Signs relating to public safety shall be allowed without restriction.

- 6. No sign shall extend higher than twenty (20) feet above the ground.
- 7. Signs may be illuminated only by shielded, non-flashing lights.

### J. Storm Water Runoff

- All new construction and development shall be designed to minimize storm water runoff
  from the site in excess of the natural predevelopment conditions. Where possible, existing
  natural runoff control features, such as berms, swales, terraces and wooded areas, shall be
  retained in order to reduce runoff and to encourage infiltration of storm waters.
- Storm water runoff control systems shall be maintained as necessary to ensure proper functioning.

# K. Septic Waste Disposal

- 1. All subsurface sewage disposal systems shall be installed in conformance with the State of Maine Subsurface Wastewater Disposal Rules, and the following:
  - a. Clearing or removal of woody vegetation necessary to site a new system and any
    associated fill extensions, shall not extend closer than seventy-five (75) feet,
    horizontal distance, from the normal high-water line of a water body or the upland
    edge of a wetland, and
  - b. A holding tank is not allowed for a first-time residential use in the shoreland zone.

# L. Essential Services

- 1. Where feasible, the installation of essential services shall be limited to existing public ways and existing service corridors.
- 2. The installation of essential services, other than road-side distribution lines, is not allowed in a Resource Protection or Stream Protection District, except to provide services to a permitted use within said district, or except where the applicant demonstrates that no reasonable alternative exists. Where allowed, such structures and facilities shall be located so as to minimize any adverse impacts on surrounding uses and resources, including visual impacts.
- Damaged or destroyed public utility transmission and distribution lines, towers and related equipment may be replaced or reconstructed without a permit.

# M. Mineral Exploration and Extraction

Mineral exploration to determine the nature of extent of mineral resources shall be accomplished by hand sampling, test boring, or other methods which create minimal disturbance of less than one hundred (100) square feet of ground surface. A permit from the Code Enforcement Officer shall be required for mineral exploration which exceeds the above

limitation. All excavations, including test pits and holes shall be immediately capped, filled or secured by other equally effective measures, to restore disturbed areas and to protect the public health and safety.

Mineral extraction may be permitted under the following conditions

- 1. A reclamation plan shall be filed with, and approved by the Planning Board before a permit is granted. Such plan shall describe in detail procedures to be undertaken to fulfill the requirements of Section 15 (M)(4) below.
- 2. No part of any extraction operation, including drainage and runoff control features shall be permitted within one hundred (100) feet, horizontal distance, of the normal high-water line of a great pond classified GPA or a river flowing to a great pond classified GPA, and within seventy-five (75) feet, horizontal distance, of the normal high-water line of any other water body, tributary stream, or the upland edge of a wetland. Extraction operations shall not be permitted within fifty (50) feet, horizontal distance, of any property line without written permission of the owner of such adjacent property.
- 3. Developers of new gravel pits along Significant River Segments shall demonstrate that no reasonable mining site outside the shoreland zone exists. When gravel pits must be located within the zone, they shall be set back as far as practicable from the normal highwater line and no less than seventy-five (75) feet and screened from the river by existing vegetation.
- 4. Within twelve (12) months following the completion of extraction operations at any extraction site, which operations shall be deemed complete when less than one hundred (100) cubic yards of materials are removed in any consecutive twelve (12) month period, ground levels and grades shall be established in accordance with the following:
  - All debris, stumps, and similar material shall be removed for disposal in an approved location, or shall be buried on-site. Only materials generated on-site may be buried or covered on-site.
    - NOTE: The State of Maine Solid Waste Laws, 38 M.R.S.A., section 1301 and the solid waste management rules, Chapters 400-419 of the Department of Environmental Protection's regulations may contain other applicable provisions regarding disposal of such materials.
  - b. The final graded slope shall be two and one-half to one (2.5:1) slope or flatter.
  - c. Top soil or loam shall be retained to cover all disturbed land areas which shall be reseeded and stabilized with vegetation native to the area. Additional topsoil or loam shall be obtained from off-site sources if necessary to complete the stabilization project.
- 5. In keeping with the purposes of this Ordinance, the Planning Board may impose such conditions as are necessary to minimize the adverse impacts associated with mineral extraction operations on surrounding uses and resources.

# N. Agriculture

- 1. All spreading of manure shall be accomplished in conformance with the Manure Utilization Guidelines published by the Maine Department of Agriculture on November 1, 2001, and the Nutrient Management Law (7 M.R.S.A. sections 4201-4209).
- 2. Manure shall not be stored or stockpiled within one hundred (100) feet, horizontal distance, of a great pond classified GPA or a river flowing to a great pond classified GPA, or within seventy-five (75) feet horizontal distance, of other water bodies, tributary streams, or wetlands. All manure storage areas within the shoreland zone must be constructed or modified such that the facility produces no discharge of effluent or contaminated storm water.
- 3. Agricultural activities involving tillage of soil greater than forty thousand (40,000) square feet in surface area, within the shoreland zone shall require a Conservation Plan to be filed with the Planning Board. Non-conformance with the provisions of said plan shall be considered to be a violation of this Ordinance.

NOTE: Assistance in preparing a Conservation Plan may be available through the local Soil and Water Conservation District office.

- 4. There shall be no new tiling of soil within one-hundred (100) feet, horizontal distance, of the normal high-water line of a great pond classified GPA; within seventy-five (75) feet, horizontal distance, from other water bodies and coastal wetlands; nor within twenty-five (25) feet, horizontal distance, of tributary streams and freshwater wetlands. Operations in existence on the effective date of this ordinance and not in conformance with this provision may be maintained.
- 5. Newly established livestock grazing areas shall not be permitted within one hundred (100) feet, horizontal distance, of the normal high-water line of a great pond classified GPA; within seventy-five (75) feet, horizontal distance, of other water bodies and coastal wetlands, nor; within twenty-five (25) feet, horizontal distance, of tributary streams and freshwater wetlands. Livestock grazing associated with ongoing farm activities, and which are not in conformance with the above setback provisions may continue, provided that such grazing is conducted in accordance with a Conservation Plan.

### O. Timber Harvesting

- 1. In a Resource Protection District abutting a great pond, timber harvesting shall be limited to the following:
  - a. Within the strip of land extending seventy-five (75) feet, horizontal distance, inland from the normal high-water line, timber harvesting may be conducted when the following conditions are met:
    - i. The ground is frozen;
    - ii. There is no resultant soil disturbance;

- iii. The removal of trees is accomplished using a cable or boom and there is no entry of tracked or wheeled vehicles into the seventy-five (75) foot strip of land;
- iv. There is no cutting of trees less than six (6) inches in diameter; no more than thirty (30%) percent of the trees six (6) inches or more in diameter, measured at four and one half  $(4^{1}/_{2})$  feet above ground level, are cut in any ten (10) year period; and a well-distributed stand of trees and other natural vegetation remains; and
- A licensed professional forester has marked the trees to be harvested prior to a
  permit being issued by the municipality.
- b. Beyond the seventy-five (75) foot strip referred to in Section 15(O)(1)(a) above, timber harvesting is permitted in accordance with paragraph 2 below except that in no case shall the average residual basal area of trees over four and one half (4<sup>1</sup>/<sub>2</sub>) inches in diameter at four and one half (4<sup>1</sup>/<sub>2</sub>) feet above ground level be reduced to less than thirty (30) square feet per acre.
- 2. Except in areas as described in Section 15(O)(1)(a) above, timber harvesting shall conform with the following provisions:
  - a. Selective cutting of no more than forty (40%) percent of the total volume of trees four (4) inches or more in diameter measured at four and one half (4<sup>1</sup>/<sub>2</sub>) feet above ground level on any lot in any ten (10) year period is permitted. In addition:
    - i. Within one-hundred (100) feet, horizontal distance, of the normal high-water line of a great pond classified GPA, or a river flowing to a great pond classified GPA, and within seventy-five (75) feet, horizontal distance, of the normal high-water line of other water bodies, tributary streams, or the upland edge of a wetland, there shall be no clear cut openings and a well-distributed stand of trees and other vegetation, including existing ground cover, shall be maintained.
  - ii. At distances greater than one-hundred (100) feet, horizontal distance, of a great pond classified GPA or a river flowing to a great pond classified GPA, and greater than seventy-five (75) feet, horizontal distance, of the normal high-water line of other water bodies or the upland edge of a wetland, harvesting operations shall not create single clear cut openings greater than ten thousand (10,000) square feet in the forest canopy. Where such openings exceed five thousand (5,000) square feet they shall be at least one hundred (100) feet, horizontal distance, apart. Such clear cut openings shall be included in the calculation of total volume removal. Volume may be considered to be equivalent to basal area.
  - b. Timber harvesting operations exceeding the forty (40%) percent limitation in Section 15(O)(2)(a) above, may be allowed by the Planning Board upon a clear showing, including a forest management plan signed by a Maine licensed professional forester, that such an exception is necessary for good forest management and will be carried out in accordance with the purposes of this Ordinance. The Planning Board shall notify the Commissioner of the Department of Environmental Protection of each exception allowed, within fourteen (14) days of the Planning Board's decision

- c. No accumulation of slash shall be left within fifty (50) feet, horizontal distance, of the normal high-water line of a water body. In all other areas slash shall either be removed or disposed of in such a manner that it lies on the ground and no part thereof extends more than four (4) feet above the ground. Any debris that falls below the normal high-water line of a water body or tributary system shall be removed.
- d. Timber harvesting equipment shall not use stream channels as travel routes except when:
  - i. Surface waters are frozen; and
  - ii. The activity will not result in any ground disturbance.
- e. All crossing of flowing water shall require a bridge or culvert, except in areas with low banks and channel beds which are composed of gravel, rock or similar hard surface which would not be eroded or otherwise damaged.
- f. Skid trail approaches to water crossings shall be located and designed so as to prevent water runoff from directly entering the water body or tributary stream. Upon completion of timber harvesting, temporary bridges and culverts shall be removed and areas of exposed soil re-vegetated.
- g. Except for water crossings, skid trails and other sites where the operation of machinery used in timber harvesting results in the exposure of mineral soil shall be located such that an unscarified strip of vegetation of at least seventy-five (75) feet, horizontal distance, in width for slopes up to ten (10%) percent shall be retained between the exposed mineral soil and the normal high-water line of a water body or upland edge of a wetland. For each ten (10%) percent increase in slope, the unscarified strip shall be increased by twenty (20) feet, horizontal distance. The provisions of this paragraph apply only to a face sloping toward the water body or wetland, provided, however, that no portion of such exposed mineral soil on a back face shall be closer than twenty-five (25) feet, horizontal distance, from the normal high-water line of a water body or upland edge of a wetland.

### P. Clearing or Removal of Vegetation for Activities Other than Timber Harvesting.

- 1. In a Resource Protection District abutting a great pond, there shall be no cutting of vegetation within the strip of land extending seventy-five (75) feet, horizontal distance, inland from the normal high-water line, except to remove safety hazards.
  - Elsewhere, in any Resource Protection District the cutting or removal of vegetation shall be limited to that which is necessary for uses expressly authorized in that district.
- 2. Except in areas as described in Section P(1), above, and except to allow for the development of permitted uses, within a strip of land extending one hundred (100) feet, horizontal distance, inland from the normal high-water line of a great pond classified GPA, or a river flowing to a great pond classified GPA, and seventy-five (75) feet, horizontal distance, from any other water body, tributary stream, or the upland edge of a wetland, a buffer strip of vegetation shall be preserved as follows:

- a. There shall be no cleared opening greater than two hundred fifty (250) square feet in the forest canopy (or other existing woody vegetation if a forested canopy is not present) as measured from the outer limits of the tree or shrub crown. However, a footpath not to exceed six (6) feet in width as measured between tree trunks and/or shrub stems is allowed provided that a cleared line of sight to the water through the buffer strip is not created.
- b. Selective cutting of trees within the buffer strip is allowed provided that a well-distributed stand of trees and other natural vegetation is maintained. For the purposes of Section 15(P)(2)(b) a "well-distributed stand of trees" adjacent to a great pond classified GPA or a river or stream flowing to a great pond classified GPA, shall be defined as maintaining a rating score of twenty-four (24) or more in each twenty-five (25) foot by fifty (50) foot rectangular (1250 square feet) area as determined by the following rating system.

### Diameter of Tree at Four and One Half (4<sup>1</sup>/<sub>2</sub>) Feet Above Ground Level

Inches	Points
2  to < 4  inches	1 point
4  to < 8  inches	2 point
8  to < 12  inches	4 point
12 inches or greater	8 points

Adjacent to other water bodies, tributary streams, and wetlands, a "well-distributed stand of trees" is defined as maintaining a minimum rating score of sixteen (16) per twenty-five (25) foot rectangular area.

NOTE: As an example, adjacent to a great pond, if a twenty-five (25) foot x fifty (50) foot plot contains four (4) trees between two (2) and four (4) inches in diameter, two (2) trees between four (4) and eight (8) inches in diameter, three trees between eight (8) and twelve (12) inches in diameter, and two (2) trees over twelve (12) inches in diameter, the rating score is:

$$(4x1) + (2x2) + (3x4) + (2x8) = 36$$
 points

Thus, the twenty-five (25) foot by fifty (50) foot plot contains trees worth thirty-six (36) points. Trees totaling twelve (12) points, (36-24=12) may be removed from the plot provided that no cleared openings are created.

The following shall govern in applying this point system:

- i. The twenty-five (25) foot by fifty (50) foot rectangular plots must be established where the landowner or lessee proposes clearing within the required buffer;
- ii. Each successive plot must be adjacent to, but not overlap a previous plot;
- iii. Any plot not containing the required points may have no vegetation removed except as otherwise allowed by this Ordinance;

- iv. Any plot containing the required points may have vegetation removed down to the minimum points required or as otherwise allowed by this Ordinance.
- Where conditions permit, no more than fifty (50%) percent of the points on any twenty-five (25) foot by fifty (50) foot rectangular area may consist of trees greater than twelve (12) inches in diameter.

For the purposes of Section 15(P)(2)(b) "other natural vegetation" is defined as retaining existing vegetation under three (3) feet in height and other ground cover and retaining at least five (5) saplings less than two (2) inches in diameter at four and one half  $(4^{1}/2)$  feet above ground level for each twenty-five (25) foot by fifty (50) foot rectangle area. If five (5) saplings do not exist, no woody stems less than two (2) inches in diameter can be removed until five (5) saplings have been recruited into the plot.

Notwithstanding the above provisions, no more than forty (40%) percent of the total volume of trees four (4) inches or more in diameter, measured at four and one half  $(4^{1}/_{2})$  feet above ground level may be removed in any ten (10) year period.

- c. In order to protect water quality and wildlife habitat, existing vegetation under three (3) feet in height and other ground cover, including leaf litter and forest duff layer, shall not be cut, covered or removed, except to provide for a footpath or other permitted uses as described in Section 15(P) paragraphs (2) and (2)(a) above.
- d. Pruning of tree branches on the bottom one third (1/3) of the tree is allowed.
- e. In order to maintain a buffer strip of vegetation, when the removal of storm-damaged, diseased, unsafe, or dead trees results in the creation of cleared openings, these openings shall be replanted with native tree species unless existing new growth is present.
  - Section 15(P)(2) does not apply to those portions of public recreational facilities adjacent to public swimming areas as long as cleared areas are limited to the minimum area necessary.
- 3. At distances greater than one hundred (100) feet, horizontal distance, from a great pond classified GPA or a river flowing to a great pond classified GPA, and seventy-five (75) feet, horizontal distance, from the normal high-water line of any other water body, tributary stream, or the upland edge of a wetland, there shall be allowed on any lot, in any ten (10) year period, selective cutting of not more than forty (40%) percent of the volume of trees four (4) inches or more in diameter, measured four and one half (4½) feet above ground level. Tree removal in conjunction with the development of permitted uses shall be included in the forty (40%) percent calculation. For the purpose of these standards, volumes may be considered to be equivalent to basal area.

In no event shall cleared openings for any purpose, including but not limited to, principal and accessory structures, driveways, lawns and sewage disposal areas, exceed in the aggregate, twenty-five (25%) percent of the lot area within the shoreland zone, or ten thousand (10,000) square feet, whichever is greater, including land previously cleared.

- Legally existing non-conforming cleared openings may be maintained, but shall not be enlarged except as allowed by this Ordinance.
- 5. Fields and other cleared openings, which have reverted to primarily shrubs, trees, or other woody vegetation, shall be regulated under the provisions of Section 15(P).

#### Q. Hazard Trees, Storm-Damaged Trees, and Dead Tree Removal

- 1. Hazard trees in the shoreland zone may be removed without a permit after consultation with the Code Enforcement Officer if the following requirements are met:
  - a. Within the shoreline buffer, if the removal of a hazard tree results in a cleared opening in the tree canopy greater than two hundred and fifty (250) square feet, replacement with native tree species is required, unless there is new tree growth already present. New tree growth must be near as practicable to where the hazard tree was removed and be at least two (2) inches in diameter, measured at four and one half (4 ½) feet above ground level. If new growth is not present, then replacement trees shall consist of native species and be at least four (4) feet in height, and be no less than two (2) inches in diameter. Stumps may not be removed.
  - b. Outside of the shoreline buffer, when the removal of hazard trees exceeds forty (40) percent of the volume of trees four (4) inches or more in diameter, measured at four and one half (4 ½) feet above ground level in any ten (10) year period, and/or results in cleared openings exceeding twenty-five (25) percent of the lot area within the shoreland zone, or ten thousand (10,000) square feet, whichever is greater, replacement of native tree species is required, unless there is new tree growth already present. New tree growth must be near as practicable to where the hazard tree was removed and be at least two (2) inches in diameter, measured at four and one half (4 ½) feet above ground level. If new growth is not present, then replacement trees shall consist of native species and be at least two (2) inches in diameter, measured at four and one half (4 ½) feet above ground level.
  - c. The removal of standing dead trees, resulting from natural causes, is permissible without the need for replanting or a permit, as long as removal does not result in creation of new lawn areas, or other permanently cleared areas, and stumps are not removed. For the purposes of this provision dead trees are those trees that contain no foliage during growing season.
  - d. The Code Enforcement Officer may require the property owner to submit an evaluation from a licensed forester or arborist before any hazard tree can be removed within the shoreland zone.
  - e. The Code Enforcement Officer may require more than a one-for-one replacement for hazard trees removed that exceed eight (8) inches in diameter measured at four and one half  $(4^{1}/_{2})$  feet above the ground level.
- 2. Storm-damaged trees in the shoreland zone may be removed without a permit after consultation with the Code Enforcement Officer if the following requirements are met:

- a. Within the shoreland buffer, when the removal of storm-damaged trees results in a cleared opening in the tree canopy greater than two hundred fifty (250) square feet, replanting is not required, but the area shall be required to naturally revegetate, and the following requirements must be met:
  - i. The area from which a storm-damaged tree is removed does not result in new lawn areas, or other permanently cleared areas;
- ii. Stumps from storm-damaged trees may not be removed;
- iii. Limbs damaged from a storm event may be pruned even if they extend beyond the bottom one-third (1/3) of the tree; and
- iv. If after one growing season, no natural regeneration or regrowth is present, replanting of native tree seedlings or saplings is required at a density of one seeding per eighty (80) square feet of lost canopy.
- b. Outside of the shoreland buffer, if the removal of storm-damaged trees exceed forty (40%) percent of the volume of trees four (4) inches or more in diameter, measured at four and one half (4 ½) feet above ground level in any ten (10) year period, or results, in the aggregate, in cleared openings exceeding twenty-five (25) percent of the lot area within the shoreland zone or ten thousand (10,000) square feet, whichever is greater, and no natural regeneration occurs within one growing season, then native tree seedlings or saplings shall be replanted on a one-for-one basis.

# R. Exemptions to Clearing and Vegetation Removal Requirements

The following activities are exempt from the clearing and vegetation removal standards set forth in Section 15(P), provided that all other applicable requirements of this chapter are complied with, and the removal of vegetation is limited to that which is necessary:

- 1. The removal of vegetation that occurs at least once every two (2) years for the maintenance of legally existing areas that do not comply with the vegetation standards in this chapter, such as but not limited to cleared openings in the canopy or fields. Such areas shall not be enlarged, except as allowed by this section. If any of these areas, due to lack of removal of vegetation every two (2) years, reverts back to primarily woody vegetation, the requirements of Section 15(P) apply;
- 2. The removal of vegetation from the location of allowed structures or allowed uses, when the shoreline setback requirements of Section 15(B) are not applicable;
- 3. The removal of vegetation from the location of public swimming areas associated with an allowed public recreational facility:
- 4. The removal of vegetation associated with allowed agricultural uses, provided best management practices are utilized, and provided all requirements of Section 15(N) are complied with;
- 5. The removal of vegetation associated with brownfields or voluntary response action program (VRAP) projects provided that the removal of vegetation is necessary for remediation

activities to clean-up contamination on a site in a general development district, commercial fisheries and maritime activities district or other equivalent zoning district approved by the Commissioner that is part of a state or federal brownfields program or a voluntary response action program pursuant to 38 M.R.S.A. section 343-E, and that is located along:

- a. A coastal wetland; or
- b. A river that does not flow to a great pond classified as GPA pursuant to 38 M.R.S.A. section 465-A.
- 6. The removal of non-native invasive vegetation species, provided the following minimum requirements are met:
  - c. If removal of vegetation occurs via wheeled or tracked motorized equipment, the wheeled or tracked motorized equipment is operated and stored at least twenty-five (25) feet, horizontal distance, from the shoreline, except that the wheeled or tracked equipment may be operated or stored on existing structural surfaces, such as pavement or gravel;
  - d. Removal of vegetation within twenty-five (25) feet, horizontal distance, form the shoreline occurs via hand tools; and
  - e. If applicable clearing and vegetation removal standards are exceeded due to the removal of non-native invasive species vegetation, the area shall be revegetated with native species to achieve compliance.

NOTE: An updated list of non-native invasive vegetation is maintained by the Department of Agriculture, Conservation and Forestry's Natural Areas Program: <a href="http://www.maine.gov/dacf/mnap/features/invasive.htm">http://www.maine.gov/dacf/mnap/features/invasive.htm</a>

 The removal of vegetation associated with emergency response activities conducted by the Department, the U.S. Environmental Protection Agency, the U.S. Coast Guard, and their agents.

# S. Revegetation Requirements

When revegetation is required in response to violations of the vegetation standards set forth in Section 15(P), to address the removal of non-native species of vegetation, or as a mechanism to allow for development that may otherwise not be permissible due to the vegetation standards, including removal of vegetation in conjunction with a shoreline stabilization project, the revegetation must comply with the following requirements.

The property owner must submit a revegetation plan, prepared with and signed by a
qualified professional that describes revegetation activities and maintenance. The plan must
include a scaled site plan, depicting where vegetation was, or is to be removed, where
existing vegetation is to remain, and where vegetation is to be planted, including a list of all
vegetation to be planted.

- 2. Revegetation must occur along the same segment of shoreline and in the same area where vegetation was removed and at a density comparable to the pre-existing vegetation, except where a shoreline stabilization activity does not allow revegetation to occur in the same area and at a density comparable to the pre-existing vegetation, in which case revegetation must occur along the same segment of shoreline and as close as possible to the area where vegetation was removed:
- 3. If part of a permitted activity, revegetation shall occur before the expiration of the permit. If the activity or vegetation is not completed before the expiration of the permit, a new revegetation plan shall be submitted with any renewal or permit application.
- 4. Revegetation activities must meet the following requirements for trees and saplings:
  - a. All trees and saplings removed must be replaced with native noninvasive species;
  - b. Replacement vegetation must at a minimum consist of saplings;
  - c. If more than three (3) trees or saplings are planted, then at least three (3) different species shall be used:
  - d. No one species shall make up fifty (50%) percent or more of the number of trees and saplings planted;
  - e. If revegetation is required for a shoreline stabilization project, and it is not possible to plant trees or saplings in the same area where trees and saplings were removed, then trees or saplings must be planted in a location that effectively reestablishes the screening between the shoreline and structures; and
  - f. A survival rate of at least eighty (80%) percent of planted trees or saplings is required for a minimum five (5) year period.
- 5. Revegetation activities must meet the following requirements for woody vegetation under three (3) feet in height:
  - All woody vegetation and vegetation under three (3) feet in height must be replaced with native noninvasive species of woody vegetation and vegetation under three (3) feet in height as applicable;
  - b. Woody vegetation and vegetation under three (3) feet in height shall be planted in quantities and variety sufficient to prevent erosion and provide for effective infiltration of storm water;
  - c. If more than three (3) woody vegetation plants are to be planted, then at least three (3) different species shall be planted;
  - d. No one species shall make up fifty (50%) percent or more of the number of planted woody vegetation plants; and

- e. Survival of planted woody vegetation and vegetation under three (3) feet in height must be sufficient to remain in compliance with the standards contained within this chapter for a minimum of five (5) years.
- 6. Revegetation activities must meet the following requirements for ground vegetation and ground cover:
  - All ground vegetation and ground cover removed must be replaced with native herbaceous vegetation, in quantities and variety sufficient to prevent erosion and provide for effective infiltration of storm water;
  - b. Where necessary due to a lack of sufficient ground cover, an area must be supplemented with a minimum four (4) inch depth of leaf mulch and/or bark mulch to prevent erosion and provide for effective infiltration of storm water; and
  - Survival and functionality of ground vegetation and ground cover must be sufficient to remain in compliance with standards contained within this chapter for a minimum of five (5) years.

### T. Erosion and Sedimentation Control

- 1. All activities which involve filling, grading, excavation or other similar activities, which result in unstabilized soil conditions and which require a permit shall also require a written soil erosion and sedimentation control plan. The plan shall be submitted to the permitting authority for approval and shall include, where applicable, provisions for:
  - a. Mulching and re-vegetation of disturbed soil;
  - b. Temporary runoff control features such as hay bales, silt fencing or diversion ditches;
  - c. Permanent stabilization structures such as retaining wall or riprap.
- 2. In order to create the least potential for erosion, development shall be designed to fit with the topography and soils of the site. Areas of steep slopes where high cuts and fills may be required shall be avoided wherever possible, and natural contours shall be followed as closely as possible.
- 3. Erosion and sedimentation control measures shall apply to all aspects of the proposed project involving land disturbance, and shall be in operation during all stages of the activity. The amount of exposed soil at every phase of construction shall be minimized to reduce the potential for erosion.
- 4. Any exposed ground area shall be temporarily or permanently stabilized within one (1) week from the time it was last actively worked, by use of riprap, sod, seed, and mulch, or other effective measures. In all cases, permanent stabilization shall occur within nine (9) months of the initial date of exposure.

In addition:

- a. Where mulch is used, it shall be applied at a rate of at least one (1) bale per five hundred (500) square feet and shall be maintained until a catch of vegetation is established.
- Anchoring the mulch with netting, peg and twine or other suitable method may be required to maintain the mulch cover.
- c. Additional measures shall be taken where necessary in order to avoid siltation into the water. Such measures may include the use of staked hay bales and/or silt fences.
- 5. Natural and man-made drainage-ways and drainage outlets shall be protected from erosion from water flowing through them. Drainage-ways shall be designed and constructed in order to carry water from a twenty-five (25) year storm or greater, and shall be stabilized with vegetation or lined with riprap.

### U. Soils

All land uses shall be located on soils in or upon which the proposed uses or structures can be established or maintained without causing adverse environmental impacts, including severe erosion, mass soil movement, improper drainage, and water pollution, whether during or after construction. Proposed uses requiring subsurface waste disposal, and commercial or industrial development and other similar intensive land uses, shall require a soils report based on an on-site investigation and be prepared by State-certified professionals. Certified persons may include Maine Certified Soil Scientist, Maine Registered Professional Engineers, Maine State Certified Geologists and other persons who have training and experience in the recognition and evaluation of soil properties. The report shall be based upon the analysis of the characteristics of the soil and surrounding land and water areas, maximum ground water elevation, presence of ledge, drainage conditions, and other pertinent data, which the evaluator deems appropriate. The soils report shall include recommendations for a proposed use to counter act soil limitations where they exist.

### V. Water Quality

No activity shall deposit on or into the ground or discharge to the waters of the State any pollutant that, by itself or in combination with other activities or substances, will impair designated uses or the water classification of the water body, tributary stream or wetland.

# W. Archaeological Sites

Any proposed land use activity involving structural development or soil disturbance on or adjacent to sites listed on, or eligible to be listed on the National Register of Historic Places, as determined by the permitting authority, shall be submitted by the applicant to the Maine Historic Preservation Commission for review and comment, at least twenty (20) days prior to action being taken by the permitting authority. The permitting authority shall consider comments received from the Commission prior to rendering a decision on the application.

# **Section 16: Administration**

### A. Administering Bodies and Agents

### 1. Code Enforcement Officer

A Code Enforcement Officer shall be appointed or reappointed annually by July 1st.

#### 2. Town Planner

A Town Planner shall be appointed by the Select Board, and contracted with or employed by the Town of Sebago.

### 2.3. Board of Appeals

A Board of Appeals shall be created in accordance with the provisions of 30-A M.R.S.A. section 2691.

# 34. Planning Board

A Planning Board shall be created in accordance with the provisions of State Law.

### B. Permits Required

After the effective date of this Ordinance no person shall, without first obtaining a permit, engage in any activity or use of land or structure requiring permit in the district in which such activity or use would occur; or expand, change, or replace an existing use or structure; or renew a discontinued non-conforming use. A person who is issued a permit pursuant to this Ordinance shall have a copy of the permit on site while the work authorized by the permit is performed.

- 1. A permit is not required for the replacement of an existing road culvert as long as:
  - a. The replacement culvert is not more than twenty-five (25%) percent longer than the culvert being replaced;
  - b. The replacement culvert is not longer than seventy-five (75) feet; and
  - c. Adequate erosion control measures are taken to prevent sedimentation of the water, and the crossing does not block fish passage in the water-course.
- 2. A permit is not required for an archaeological excavation as long as the excavation is conducted by an archaeologist listed on the State Historic Preservation Officer's level 1 or level 2 approved list, and unreasonable erosion and sedimentation is prevented by means of adequate and timely temporary and permanent stabilization measures.
- 3. Any permit required by this Ordinance shall be in addition to any other permit required by other law or ordinance.

# C. Permit Application

1. Every applicant for a <u>CEO</u> permit shall submit a written application to the <u>Code Enforcement Officer and every applicant for a Planning Board</u> permit shall submit a written application to the attention of the <u>Town</u>

Formatted: Indent: Left: 0.25", No bullets or numbering

<u>Planner.</u>, including Each application shall include a scaled site plan, on a form provided by the municipality, to the appropriate official as indicated in Section 14.

- All applications shall be signed by an owner or individual who can show evidence of right, title or interest in the property or by an agent, representative, tenant, or contractor of the owner with authorization from the owner to apply for a permit hereunder, certifying that the information in the application is complete and correct.
- 3. All applications shall be dated, and the Code Enforcement Officer or Planning Board, as appropriate the Town Planner, as applicable, shall note upon each application the date and time of its receipt.
- 4. If the property is not served by a public sewer, a valid plumbing permit, or a completed application for a plumbing permit, including the site evaluation approved by the Plumbing Inspector, shall be submitted whenever the nature of the proposed structure or use would require the installation of a subsurface sewage disposal system.
- When an excavation contractor will perform an activity that requires or results in more than one (1) cubic yard of soil disturbance, the person responsible for management of erosion and sedimentation control practices at the site must be certified in erosion control practices by the Maine Department of Environmental Protection. This person must be present at the site each day earthmoving activity occurs for a duration that is sufficient to ensure proper erosion and sedimentation practices are followed. This is required until erosion and sedimentation control measures have been installed, which will either stay in place permanently or stay in place until the area is sufficiently covered with vegetation necessary to prevent soil erosion. The name and certification number of the person who will oversee the activity causing or resulting in soil disturbance shall be included on the permit application. This requirement does not apply to a person or firm engaged in agriculture or timber harvesting if best management practices for erosion and sedimentation control are use; and municipal, state and federal employees engaged in projects associated with that employment.

# D. Procedure for Administering Permits

Within thirty-five (35) days of the date of receiving a written application, the Planning Board, after review by the Town Planner, or the Code Enforcement Officer, as indicated in Section 14, shall notify the applicant in writing either that the application is a complete application, or, if the application is incomplete, shall provide the applicant with an indication of the additional information that will be required in order for the application to be determined to be complete. that specified additional material is needed to make the application complete. The Planning Board or the Code Enforcement Officer, as appropriate, shall approve, approve with conditions, or deny all permit applications in writing within thirty-five (35) days of receiving a completed application. However, if the Planning Board has a waiting list of applications, a decision on the application shall occur within thirty-five (35) days after the first available date on the Planning Board's agenda following receipt of the completed application, or within thirty-five (35) days of the public hearing, if the

**Formatted:** Indent: Hanging: 2.9", Space Before: 0.3 pt, Line spacing: Exactly 13.8 pt, Tab stops: 0.5", Left + Not at 0.55"

proposed use or structure is found to be in conformance with the purposes and provisions of this Ordinance.

The applicant shall have the burden of proving that the proposed land use activity is in conformity with the purposes and provisions of this Ordinance.

After the submission of a complete application to the Planning Board, the Board shall approve an application or approve it with conditions if it makes a positive finding based on the information presented that the proposed use:

- 1. Will maintain safe and healthful conditions;
- 2. Will not result in water pollution, erosion, or sedimentation to surface waters;
- 3. Will adequately provide for the disposal of all waste water;
- 4. Will not have an adverse impact on spawning grounds, fish, aquatic life, bird or other wildlife habitat;
- Will conserve shore cover and visual, as well as actual, points of access to inland waters.
- Will protect archaeological and historic resources as designated in the comprehensive plan;
- 7. Will avoid problems associated with flood-plain development and use; and
- 8. Is in conformance with the provisions of Section 15, Land Use Standards.

If a permit is either denied or approved with conditions, the reasons as well as conditions shall be stated in writing. No approval shall be granted for an application involving a structure if the structure would be located in an unapproved subdivision or would violate any other local ordinance, or regulation or statute administered by the municipality.

# E. Special Exceptions

In addition to the criteria specified in Section 16(D) above, excepting structure setback requirements, the Planning Board may approve a permit for a single family residential structure in a Resource Protection District provided that the applicant demonstrates that all of the following conditions are met:

- 1. There is no location on the property, other than a location within the Resource Protection District, where the structure can be built.
  - 2. The lot on which the structure is proposed is undeveloped and was established and recorded in the registry of deeds of the county in which the lot is located before the adoption of the Resource Protection District.

- 3. All proposed buildings, sewage disposal systems and other improvements are:
  - a. Located on natural ground slopes of less than twenty (20%) percent; and
  - b. Located outside the floodway of the one hundred (100) year flood-plain along rivers and artificially formed great ponds along rivers and outside velocity zone in areas subject to tides, based on detailed flood insurance studies and as delineated on the Federal Emergency Management Agency's Flood Boundary and Floodway Maps and Flood Insurance Rate Maps; all buildings, including basements, are elevated at least one foot above the one hundred (100) year flood-plain elevation; and the development is otherwise in compliance with any applicable municipal flood-plain ordinance.

If the floodway is not shown on the Federal Emergency Management Agency Maps, it is deemed to be one half  $(\frac{1}{2})$  the width of the one hundred (100) year flood-plain.

- 4. The total ground-floor area, including cantilevered or similar overhanging extensions, of all principal and accessory structures is limited to a maximum of fifteen hundred (1,500) square feet. This limitation shall not be altered by variance.
- 5. All structures, except functionally water-dependent structures, are set back from the normal high-water line of a water body, tributary stream or upland edge of a wetland to the greatest practical extent, but not less than seventy-five (75) feet, horizontal distance. In determining the greatest practical extent, the Planning Board shall consider the depth of the lot, the slope of the land, the potential for soil erosion, the type and amount of vegetation to be removed, the proposed building site's elevation in regard to the floodplain, and its proximity to moderate-value and high-value wetlands.

#### F. Expiration of Permit

Permits shall expire one year from the date of issuance if substantial start is not made in construction or in the use of the property during that period. If a substantial start is made within one year of the issuance of the permit, the applicant shall have one additional year to complete the project, at which time the permit shall expire.

# G. Installation of Public Utility Service

A public utility, water district, sanitary district or any utility company of any kind may install services to any new structure located in the shoreland zone unless written authorization attesting to the validity and currency of all local permits required under this or any previous Ordinance has been issued by the appropriate municipal officials or other written arrangements have been made between the municipal officials and the utility.

# H. Board of Appeals

- 1. Powers and Duties of the Board of Appeals. The Board of Appeals shall have the following powers:
  - a. Administrative Appeals:

To hear and decide administrative appeals, on an appellate basis, where it is alleged by an aggrieved party that there is an error in any order, requirement, decision, or determination made by, or failure to act by the Planning Board in the administration of this Ordinance; and to hear and decide administrative appeals on a de novo basis where it is alleged by an aggrieved party that there is an error in any order, requirement, decision or determination made by, or failure to act by, the Code Enforcement Officer in his/her review of and action on a permit application under this Ordinance. Any order, requirement, decision or determination made, or failure to act, in the enforcement of this ordinance is not appealable to the Board of Appeals.

## b. Variance Appeals:

To authorize variances upon appeal, within the limitations set forth in this Ordinance.

#### 3. Variance Appeals

Variances may be granted only under the following conditions:

- a. Variances may be granted only from dimensional requirements including, but not limited to, lot width, structure height, percent of lot coverage, and setback requirements.
- Variances shall not be granted for establishment of any uses otherwise prohibited by this Ordinance.
- c. The Board shall not grant a variance unless it finds that:
  - The proposed structure or use would meet the provisions of Section 15 except for the specific provision which has created the non-conformity and from which relief is sought; and
  - ii. The strict application of the terms of this Ordinance would result in undue hardship.

The term "undue hardship" shall mean:

- a. That the land in question cannot yield a reasonable return unless a variance is granted;
- b. That the need for a variance is due to the unique circumstances of the property and not to the general conditions in the neighborhood;
- c. That the granting of a variance will not alter the essential character of the locality; and
- d. That the hardship is not the result of action taken by the applicant or a prior owner.
- d. Notwithstanding Section 16(H)(2)(c)(ii) above, the Board of Appeals may grant a variance to an owner of a residential dwelling for the purpose of making that dwelling accessible to a person with a disability who resides in or regularly uses the dwelling. The board shall restrict any variance granted under this subsection solely to the installation of equipment or the

construction of structures necessary for access to or egress from the dwelling by the person with the disability. The board may impose conditions on the variance, including limiting the variance to the duration of the disability or to the time that the person with the disability lives in the dwelling. The term "structures necessary for access to or egress from the dwelling" shall include railing, wall or roof systems necessary for the safety or effectiveness of the structure.

- e. The Board of Appeals shall limit any variances granted as strictly as possible in order to ensure conformance with the purposes and provisions of this Ordinance to the greatest extent possible, and in doing so may impose such conditions to a variance as it deems necessary. The party receiving the variance shall comply with any conditions imposed.
- f. A copy of each variance request, including the application and all supporting information supplied by the applicant, shall be forwarded by the municipal officials to the Commissioner of the Department of Environmental Protection at least twenty (20) days prior to action by the Board of Appeals. Any comments received from the Commissioner prior to action by the Board of Appeals shall be made part of the record and shall be taken into consideration by the Board of Appeals.
- g. A copy of all variances granted by the Board of Appeals shall be submitted to the Department of Environmental Protection within fourteen (14) days of the decision.
- h. Pursuant to 30 M.R.S.A. 4392, the certificate of Variance Approval granted by the Board shall be registered at the Registry of Deeds within ninety (90) days after the date of the decision. Failure to register the certificate within that time will cause the variance to be invalid. Proof of registration shall be required prior to the issuance of a building permit.

## 3. Administrative Appeals

When the Board of Appeals reviews a decision of the Code Enforcement Officer, the Board of Appeals shall hold a "de novo" hearing. At this time the Board may receive and consider new evidence and testimony, be it oral or written. When acting in a "de novo" capacity the Board of Appeals shall hear and decide the matter afresh, undertaking its own independent analysis of evidence and the law, and reaching its own decision.

When the Board of Appeals hears a decision of the Planning Board, it shall hold an appellate hearing, and may reverse the decision of the Planning Board only upon finding that the decision was contrary to specific provisions of the Ordinance or contrary to the facts presented to the Planning Board. The Board of Appeals may only review the record of the proceedings before the Planning Board. The Board of Appeals shall not receive or consider any evidence which was not presented to the Planning Board, but the Board of Appeals may receive and consider written or oral arguments. If the Board of Appeals determines that the record of the Planning Board proceedings are is inadequate, the Board of Appeals may remand the matter to the Planning Board for additional fact finding.

# 4. Appeal Procedure

a. Making an Appeal

- iii. An administrative or variance appeal may be taken to the Board of Appeals by an aggrieved party from any decision of the Code Enforcement Officer or the Planning Board, except for enforcement related matters as described in Section 16(H)(1)(a) above. Such an appeal shall be taken within thirty (30) days of the date of the official, written decision appealed from, and not otherwise, except that the Board, upon a showing of good cause, may waive the thirty (30) day requirement.
- ii. Applications for appeals shall be made by filing with the Board of Appeals a written notice of appeal which includes:
  - A concise written statement indicating what relief is requested and why the appeal or variance should be granted.
  - A sketch drawn to scale showing lot lines, location of existing buildings and structures and other physical features of the lot pertinent to the relief sought.
- iv. Upon receiving an application for an administrative appeal or a variance, the Code Enforcement Officer or Planning Board, as appropriate, shall transmit to the Board of Appeals all of the papers constituting the record of the decision appealed from.
- iv. The Board of Appeals shall hold a public hearing on an administrative appeal or a request for a variance within thirty-five (35) days of its receipt of a complete written application, unless this time period is extended by the parties.

# b. Decision by Board of Appeals

- A majority of the full voting membership of the Board shall constitute a quorum for the purpose of deciding an appeal.
- ii. The person filing the appeal shall have the burden of proof.
- iii. The Board shall decide all administrative appeals and variance appeals within thirty-five (35) days after the close of the hearing, and shall issue a written decision on all appeals.
- iv. The Board of Appeals shall state the reasons and basis for its decision, including a statement of the facts found and conclusions reached by the Board. The Board shall cause written notice of its decision to be mailed or hand-delivered to the applicant and to the Department of Environmental Protection within seven (7) days of the Board's decision. Copies of written decisions of the Board of Appeals shall be given the Planning Board, Code Enforcement Officer, and the municipal officers.

# c. Appeal to Superior Court

Except as provided by 30-A M.R.S.A. section 2691(3)(F), any aggrieved party who participated as a party during the proceedings before the Board of Appeals may take an appeal to Superior Court in accordance with State laws within forty-five (45) days from the date of any decision of the Board of Appeals.

#### d. Reconsideration

In accordance with 30-A M.R.S.A. section 2691(3)(F), the Board of Appeals may reconsider any decision within forty-five (45) days of its prior decision. A request to the Board to reconsider a decision must be filed within ten (10) days of the decision that is being reconsidered. A vote to reconsider and the action taken on that reconsideration must occur and be completed within forty-five (45) days of the date of the vote on the original decision. Reconsideration of a decision shall require a positive vote of the majority of the Board members originally voting on the decision, and proper notification to the landowner, petitioner, Planning Board, Code Enforcement Officer, and other parties of interest, including abutters and those who testified at the original hearing(s). The Board may conduct additional hearings and receive additional evidence and testimony.

Appeal of a reconsidered decision to Superior court must be made within fifteen (15) days after the decision on reconsideration.

# I. Enforcement

#### 1. Nuisances

Any violation of this Ordinance shall be deemed to be a nuisance.

#### 2. Code Enforcement Officer

- a. It shall be the duty of the Code Enforcement Officer to enforce the provisions of this Ordinance. If the Code Enforcement Officer shall find that any provision of this Ordinance is being violated, he/she shall notify in writing the person responsible for such violation, indicating the nature of the violation and ordering the action necessary to correct it, including discontinuance of illegal use of land, buildings or structures, or work being done, removal of illegal buildings or structures, and abatement of nuisance conditions. A copy of such notices shall be submitted to the municipal officers and be maintained as a permanent record.
- b. The Code Enforcement Officer shall conduct on-site inspections to insure compliance with all applicable laws and conditions attached to permit approvals. The Code Enforcement Officer shall also investigate all complaints of alleged violations of this Ordinance.
- c. The Code Enforcement Officer shall keep a complete record of all essential transactions of the office, including applications submitted, permits granted or denied, variances granted or denied, revocation actions, revocation of permits, appeals, court actions, violations investigated, violations found, and fees collected. On a biennial basis, a summary of this record shall be submitted to the Director of the Bureau of Land and Water Quality within the Department of Environmental Protection.

## 3. Legal Actions

When the above action does not result in the correction or abatement of the violation or nuisance condition, the Municipal Officers, upon notice from the Code Enforcement Officer or on their own initiative, are hereby directed to institute any and all actions and

proceedings, either legal or equitable, including seeking injunctions of violations and the imposition of fines, that may be appropriate or necessary to enforce the provisions of this Ordinance in the name of the municipality. The municipal officers, or their authorized agent, are hereby authorized to enter into administrative consent agreements for the purpose of eliminating violations of this Ordinance and recovering fines without Court action. Such agreements shall not allow an illegal structure or use to continue unless there is clear and convincing evidence that the illegal structure or use was constructed or conducted as a direct result of erroneous advice given by an authorized municipal official and there is no evidence that the owner acted in bad faith, or unless the removal of the structure or use will result in a threat or hazard to public health and safety or will result in substantial environmental damage.

#### 4. Fines

Any person, including but not limited to a landowner, a landowner's agent or a contractor, who violates any provision or requirement of this Ordinance shall be penalized in accordance with 30-A, M.R.S.A. section 4452.

NOTE: Current penalties include fines of not less than one hundred (\$100) dollars nor more than twenty-five hundred (\$2,500) dollars per violation for each day that the violation continues. However, in a Resource Protection District the maximum penalty is increased to five thousand (\$5,000) dollars (38 M.R.S.A. section 4452).

# **Section 17: Definitions**

**Accessory Structure or Use** – A use or structure which is incidental and subordinate to the principal use or structure. Accessory uses, when aggregated, shall not subordinate the principal use of the lot. A deck or similar extension of the principal structure or a garage attached to the principal structure by a roof or a common wall is considered part of the principal structure.

**Aggrieved Party** – An owner of land whose property is directly or indirectly affected by the granting or denial of a permit or variance under this Ordinance; a person whose land abuts land for which a permit or variance has been granted; or any other person or group of persons who have suffered particularized injury as a result of the granting or denial of such permit or variance.

**Agriculture** – The production, keeping or maintenance for sale or lease, of plants and/or animals, including but not limited to: forages and sod crops; grains and seed crops; dairy animals and dairy products; poultry and poultry products; livestock; fruits and vegetables; and ornamental and greenhouse products. Agriculture does not include forest management and timber harvesting activities.

**Aquaculture** – The growing or propagation of harvestable freshwater, estuarine, or marine plant or animal species.

**Basal Area** – The area of cross-section of a tree stem at four and one half  $(4^{1}/_{2})$  feet above ground level and inclusive of bark.

**Basement** – Any portion of a structure with a floor-to-ceiling height of six (6) feet or more and having more than fifty (50%) percent of its volume below the existing ground level.

**Boat Launching Facility** – A facility designed primarily for the launching and landing of watercraft, and which may include an access ramp, docking area, and parking spaces for vehicles and trailers.

Bureau – State of Maine Department of Conservation's Bureau of Forestry

**Campground** – Any area or tract of land to accommodate two (2) or more parties in temporary living quarters, including, but not limited to tents, recreational vehicles or other shelters.

Canopy – The more or less continuous cover formed by tree crowns in a wooded area.

Code Enforcement Officer (also referred to herein as the "CEO") – A person employed by the Town of Sebago to administer the CEO permitting process and enforce this Ordinance.

Commercial Use – The use of lands, buildings, or structures, other than a "home occupation", defined below, the intent and result of which activity is the production of income from the buying and selling of goods and/or services, exclusive of rental of residential buildings and/or dwelling units.

Cross-Sectional Area – The cross-sectional area of a stream or tributary stream channel is determined by multiplying the stream or tributary stream channel width by the average stream or tributary stream channel depth. The stream or tributary stream channel width is the straight line distance from the normal high-water line on one side of the channel to the normal high-water line on the opposite side of the channel. The average stream or tributary stream channel depth is the average of the vertical distances from a straight line between the normal high-water lines of the stream or tributary stream channel to the bottom of the channel.

**DBH** – The diameter of a standing tree measured four and one-half  $(4^{1}/2)$  feet from ground level.

**Development** – A change in land use involving alteration of the land, water or vegetation, or the addition or alteration of structures or other construction not naturally occurring.

**Dimensional Requirements** – Numerical standards relating to spatial relationships including but not limited to setback, lot area, shore frontage and height.

**Disability** – Any disability, infirmity, malformation, disfigurement, congenital defect or mental condition caused by bodily injury, accident, disease, birth defect, environmental conditions or illness; and also includes the physical or mental condition of a person which constitutes a substantial handicap as determined by a physician or in the case of mental handicap, by a psychiatrist or psychologist, as well as any other health or sensory impairment which requires special education, vocational rehabilitation or related services.

**Disruption of Shoreline Integrity** – The alteration of the physical shape, properties, or condition of a shoreline at any location by timber harvesting and related activities. A shoreline where shoreline integrity has been disrupted is recognized by compacted, scarified and/or rutted

soil, and abnormal channel or shoreline cross-section, and in the case of flowing waters, a profile and character altered from natural conditions.

**Driveway** – A vehicular access-way less than five hundred (500) feet in length serving two (2) single-family dwellings or one (1) two-family dwelling, or less.

**Emergency Operations** – Operations conducted for the public health, safety or general welfare, such as protection of resources from immediate destruction or loss, law enforcement, and operations to rescue human beings, property and livestock from the threat of destruction or injury.

Essential Services – Gas, electrical or communication facilities; steam, fuel, electric power or water transmission or distribution lines, towers and related equipment; telephone cables or lines, poles and related equipment; gas, oil, water, slurry or other similar pipelines; municipal sewage lines, collection or supply systems; and associated storage tanks. Such systems may include towers, poles, wires, mains, drains, pipes, conduits, cables, fire alarms and police call boxes, traffic signals, hydrants and similar accessories, but shall not include service drops or buildings which are necessary for the furnishing of such services.

**Expansion of a Structure** – An increase in the floor area or volume of a structure, including all extensions such as, but not limited to: attached decks, garages, porches and greenhouses.

**Expansion of Use** – The addition of one or more months to a use's operating season; or the use of more floor area or ground area devoted to a particular use.

Family – One or more persons occupying a premises and living as a single housekeeping unit.

**Floodway** – The channel of a river or other watercourse and adjacent land areas that must be reserved in order to discharge the one hundred (100) year flood without cumulatively increasing the water surface elevation by more than one (1) foot in height.

**Floor Area** – The sum of the horizontal areas of the floor(s) of a structure enclosed by exterior walls, plus the horizontal area of any unenclosed portions of a structure such as porches and decks.

**Footprint** – the entire area of ground covered by the structures on the premises, including cantilevered or similar overhanging extensions, as well as unenclosed structures, such as patios and decks

**Forest Management Activities** – Timber cruising and other forest resource evaluation activities, pesticide or fertilizer application, management planning activities, timber stand improvement, pruning, regeneration of forest stands, and other similar or associated activities, exclusive of timber harvesting and the construction, creation or maintenance of roads.

**Forested Wetland** – A freshwater wetland dominated by woody vegetation that is six (6) meters tall (approximately twenty (20) feet) or taller.

**Forest Stand** – A contiguous group of trees sufficiently uniform in age class distribution, composition, and structure, and growing on a site of sufficiently uniform quality, to be a distinguishable unit.

**Foundation** – The supporting substructure of a building or other structure, excluding wooden sills and post supports, but including basements, slabs, frost walls, or other base consisting of concrete, block, brick or similar material.

**Freshwater Wetland** – Freshwater swamps, marshes, bogs and similar areas, other than forested wetlands, which are:

- 1. Of ten (10) or more contiguous acres; or of less than ten (10) contiguous acres and adjacent to a surface water body, excluding any river, stream or brook, such that in a natural state, the combined surface area is in excess of ten (10) areas; and
- Inundated or saturated by surface or ground water at a frequency and for a duration sufficient to support, and which under normal circumstances do support, a prevalence of wetland vegetation typically adapted for life in saturated soils.

Freshwater wetlands may contain small stream channels or inclusions of land that do not conform to the criteria of this definition.

Functionally Water-Dependent Uses – those uses that require, for their primary purpose, location on submerged lands or that require direct access to, or location in, coastal or inland waters and that cannot be located away from these waters. The uses include, but are not limited to, commercial and recreational fishing and boating facilities, finfish and shellfish processing, port facilities, shipyards and boat building facilities, marinas, waterfront dock and channels, shoreline structures necessary for erosion control purposes, industrial uses dependent upon waterborne transportation or requiring large volumes of cooling or processing water that cannot be located or operated at an inland site, and uses that primarily provide general public access to coastal or inland waters. Recreational boat storage buildings are not considered to be functionally water-dependent use.

**Great Pond** – Any inland body of water which in a natural state has a surface area in excess of ten (10) acres, and any inland body of water artificially formed or increased which has a surface area in excess of thirty (30) acres except for the purposes of this Ordinance, where the artificially formed or increased inland body of water is completely surrounded by land held by a single owner.

**Great Pond Classified GPA** – Any great pond classified GPA, pursuant to 38 M.R.S.A. Article 4-A Section 465-A. This classification includes some, but not all impoundments of river that are defined as great ponds.

**Ground Cover** – Small plants, fallen leaves, needles and twigs, and the partially decayed organic matter of the forest floor.

**Harvest Area** – The area where timber harvesting and related activities, including the cutting of trees, skidding, yarding, and associated road construction take place. The area affected by a

harvest encompasses the area within the outer boundaries of these activities, excepting unharvested areas greater than ten (10) acres within the area affected by a harvest.

**Height of a Structure** – The vertical distance between the mean original (prior to construction) grade at the downhill side of the structure and the highest point of the structure, excluding chimneys, steeples, antennas, and similar appurtenances that have no floor area.

**Home Occupation** – An occupation or profession which is customarily conducted on or in a residential structure or property and which is:

- Clearly incidental to and compatible with the residential use of the property and surrounding residential uses; and
- 2. Which employs no more than two (2) persons other than family members residing in the home.

Increase in Non-Conformity of a Structure — Any change in a structure or property which causes further deviation from the dimensional standard(s) creating the non-conformity such as, but not limited to, reduction in water body, tributary stream or wetland setback distance, increase in lot coverage, or increase in height of a structure. Property changes or structure expansions which either meet the dimensional standard or which cause no further increase in the linear extent of non-conformance of the existing structure shall not be considered to increase nonconformity. For example, there is no increase in non-conformity with the setback requirement for water bodies, wetlands, or tributary streams if the expansion extends no further into the required setback area than does any portion of the existing non-conforming structure. Hence, a structure may be expanded laterally provided that the expansion extends no closer to the water body, tributary stream, or wetland than the closest portion of the existing structure from that water body, tributary stream, or wetland. Included in this allowance are expansions which in-fill irregularly shaped structures.

**Individual Private Campsite** – An area of land which is not associated with a campground, but which is developed for repeated camping by only one group not to exceed ten (10) individuals and which includes site improvements which may include but not be limited to gravel pads, parking areas, fire places, or tent platforms.

**Industrial** – The assembling, fabrication, finishing, manufacturing, packaging or processing of goods, or the extraction of minerals.

**Institutional** – A non-profit or quasi-public use, or institution such as a church, library, public or private school, hospital, or municipally owned or operated building, structure or land used for public purposes.

**Land Management Road** – A route or track consisting of a bed of exposed mineral soil, gravel, or other surfacing materials constructed for, or created by, the passage of motorized vehicles and used primarily for timber harvesting and related activities, including associated log yards, but not including skid trails or skid roads.

**Licensed Forester** – A forester licensed under 32 M.R.S.A. Chapter 76.

**Lot Area** – The area of land enclosed within the boundary lines of a lot, minus land below the normal high-water line of a water body or upland edge of a wetland and areas beneath roads serving more than two lots.

Marina – A business establishment having frontage on navigable water and, as its principal use, providing for hire offshore moorings or docking facilities for boats, and which may also provide accessory services such as boat and related sales, boat repair and construction, indoor and outdoor storage of boats and marine equipment, bait and tackle shops and marine fuel service facilities.

**Market Value** – The estimated price a property will bring in the open market and under prevailing market conditions in a sale between a willing seller and a willing buyer, both conversant with the property and with prevailing general price levels.

**Mineral Exploration** – Hand sampling, test boring, or other methods of determining the nature or extent of mineral resources which create minimal disturbance to the land and which include reasonable measures to restore the land to its original condition.

**Mineral Extraction** – Any operation within any twelve (12) month period which removes more than one hundred (100) cubic yards of soil, topsoil, loam, sand, gravel, clay, rock, peat, or other like material from its natural location and to transport the product removed, away from the extraction site.

**Minimum Lot Width** – The closest distance between the side lot lines of a lot. When only two lot lines extend into the shoreland zone, both lot lines shall be considered to be side lot lines.

**Multi-Unit Residential** – A residential structure containing three (3) or more residential dwelling units.

Native – Indigenous to the local forests.

**Non-Conforming Condition** – Non-conforming lot, structure or use which is allowed solely because it was in lawful existence at the time this Ordinance or subsequent amendment took effect.

**Non-Conforming Lot** – A single lot of record which, at the effective date of adoption or amendment of this Ordinance, does not meet the area, frontage, or width requirements of the district in which it is located.

**Non-Conforming Structure** – A structure which does not meet any one or more of the following dimensional requirements; setback, height, or lot coverage, but which is allowed solely because it was in lawful existence at the time of this Ordinance or subsequent amendments took effect.

**Non-Conforming Use** – Use of buildings, structures, premises, land or parts thereof which is not allowed in the district in which it is situated, but which is allowed to remain solely because it was in lawful existence at the time this Ordinance or subsequent amendments took effect.

Normal High-Water Line (non-tidal waters) – That line which is apparent from visible markings, changes in the character of soils due to prolonged action of the water or changes in vegetation, and which distinguishes between predominantly aquatic and predominantly terrestrial land. Areas contiguous with rivers and great ponds that support non-forested wetland vegetation and hydric soils and that are at the same or lower elevation as the water level of the river or great pond during the period of normal high-water are considered part of the river or great pond.

NOTE: As of December 6, 2004 through various studies, the Department of Environmental Protection evaluated the Normal High-Water Level (NHWL) of Sebago Lake to be 266.5' (feet) (above mean sea level).

**Outlet Stream** – any perennial or intermittent stream, as shown on the most recent highest resolution version of the national hydrography dataset available from the United States Geological Survey on the website of the United States Geological Survey or the national map, that flows from a freshwater wetland.

**Person** – An individual, corporation, governmental agency, municipality, trust, estate, partnership, association, two or more individuals having a joint or common interest, or other legal entity.

# Piers, Docks, Wharfs, Bridges and Other Structures and Uses Extending Over or Beyond the Normal High-Water Line or Within a Wetland –

- 1. Temporary: Structures which remain in or over the water for less than seven (7) months in any period of twelve (12) consecutive months.
- 2. Permanent: Structures which remain on or over the water for seven (7) months or more in any period of twelve (12) consecutive months.

**Principal Structure** – A building other than one which is used for purposes wholly incidental or accessory to the use of another building or use on the same premises.

**Principal Use** – A use other than one which is wholly incidental or accessory to another use on the same premises.

**Public Facility** – Any facility including, but not limited to buildings, property, recreation areas, and roads, which are owned, leased, or otherwise operated, or funded by a governmental body or public entity.

**Recent Flood-Plain Soils** – The following soil series as described and identified by the National Cooperative Soil Survey:

Fryeburg	Hadley	Limerick
Lovewell	Medomak	Ondawa
Alluvial	Cornish	Charles
Podunk	Rumney	Saco
Suncook	Sunday	Winooski

**Recreational Facility** – A place designed and equipped for the conduct of sports, leisure time activities, and other customary and usual recreational activities, excluding boat launching facilities

**Recreational Vehicle** – A vehicle or an attachment to a vehicle designed to be towed, and designed for temporary sleeping or living quarters for one or more persons, and which may include a pick-up camper, travel trailer, tent trailer, camp trailer, and motor home. In order to be considered as a vehicle and not as a structure, the unit must remain with its tires on the ground, and must be registered with the State Division of Motor Vehicles

## Replacement System – a system intended to replace:

- 1. An existing system which is either malfunctioning or being upgraded with no significant change of design flow or use of the structure, or
- 2. Any existing overboard wastewater discharge.

**Residential Dwelling Unit** – A room or group of rooms designed and equipped exclusively for use as permanent, seasonal, or temporary living quarters for only one family at a time, and containing cooking, sleeping and toilet facilities. The term shall include mobile homes and rental units that contain cooking, sleeping, and toilet facilities regardless of the time-period rented. Recreational vehicles are not residential dwelling units.

Residual Basal Area – The average of the basal area of trees remaining on a harvested site.

**Residual Stand** – A stand of trees remaining in the forest following timber harvesting and related activities.

**Riprap** – Rocks, irregularly shaped, and at least six (6) inches on diameter, used for erosion control and soil stabilization, typically used on ground slopes of two (2) units horizontal to one (1) unit vertical or less.

**River** – A free-flowing body of water including its associated flood-plain wetlands from that point at which it provides drainage for a watershed of twenty-five (25) square miles to its mouth.

**Road** – A route or track consisting of a bed of exposed mineral soil, gravel, asphalt, or other surfacing material constructed for or created by the repeated passage of motorized vehicles, excluding a driveway as defined.

**Service Drop** – Any utility line extension which does not cross or run beneath any portion of a water body provided that:

- 1. In the case of electric service
  - a. the placement of wires and/or the installation of utility poles is located entirely upon the premises of the customer requesting service or upon a roadway right-of-way; and
  - b. the total length of the extension is less than one thousand (1,000) feet.

# 2. In the case of telephone service

- a. the extension, regardless of length, will be made by the installation of telephone wires to existing utility poles, or
- b. the extension requiring the installation of new utility poles or placement underground is less than one thousand (1,000) feet in length.

**Setback** – The nearest horizontal distance from the normal high-water line of a water body or tributary stream, or upland edge of a wetland, to the nearest part of a structure, road, parking space or other regulated object or area.

**Shore Frontage** – The length of a lot bordering on a water body or wetland measured in a straight line between the intersections of the lot lines with the shoreline.

**Shoreland Zone** – The land area located within two hundred and fifty (250) feet, horizontal distance, of the normal high-water line of any great pond or river; within two hundred and fifty (250) feet, horizontal distance, of the upland edge of a coastal wetland, including all areas affected by tidal action; within two hundred and fifty (250) feet of the upland edge of a freshwater wetland; or within seventy-five (75) feet, horizontal distance, of the normal highwater line of a stream.

Shoreline - The normal high-water line, or upland edge of a freshwater or coastal

wetland. Significant River Segments - See 38 M.R.S.A. Section 437

**Skid Road or skid Trail** – A route repeatedly used by forwarding machinery or animal to haul or drag forest products from the stump to the yard or landing, the construction of which requires minimal excavation.

Slash - The residue, e.g., treetops and branches, left on the ground after a timber harvest.

**Stream** – A free-flowing body of water from the outlet of a great pond or the confluence of two (2) perennial streams as depicted on the most recent, highest resolution version of the website of the United States Geological Survey on the website if the United States Geological Survey or the national map to the point where the stream becomes a river or where the stream meets the shoreland zone of another water body or wetland. When a stream meets the shoreland zone of a water body or wetland and a channel forms downstream of the water body or wetland as an outlet, that channel is also a stream.

**Structure** –Anything temporarily or permanently located, built, constructed or erected for the support, shelter or enclosure of persons, animals, goods or property of any kind or anything constructed or erected on or in the ground. The term includes structures temporarily or permanently located, such as decks, patios, and satellite dishes. Structures does not include fences; poles and wiring and other aerial equipment normally associated with service drops, including guy wires and guy anchors: subsurface waste water disposal systems as defined in Title30-A, section 4201, subsection 5: geothermal heat exchange wells as defined in Title 32, section 4700-E, subsection 3-C; or wells or water wells as defined in Title 32, section 4700-E, subsection 8.

**Substantial Start** – Completion of thirty (30%) percent of a permitted structure or use measured as a percentage of estimated total cost.

**Subsurface Sewage Disposal System** – Any system designed to dispose of waste or wastewater on or beneath the surface of the earth; includes, but is not limited to: septic tanks; disposal fields; grandfathered cesspools; holding tanks; pretreatment filter, piping, or any other fixture, mechanism, or apparatus used for those purposes; does not include any discharge system licensed under 38 M.R.S.A. section 414, any surface water waste disposal system, or any municipal or quasi-municipal sewer or wastewater treatment system.

**Sustained Slope** – A change in elevation where the referenced percent grade is substantially maintained or exceeded throughout the measured area.

**Timber Harvesting** – The cutting and removal of timber for primary purpose of selling or processing forest products. "Timber Harvesting" does not include the cutting or removal of vegetation within the shoreland zone when associated with any other land use activities. The cutting or removal of trees in the shoreland zone on a lot that has less than two (2) acres within the shoreland zone shall not be considered timber harvesting. Such cutting or removal of trees shall be regulated pursuant to Section 15(P), *Clearing or Removal of Vegetation for Activities Other Than Timber Harvesting*.

**Timber harvesting and related activities** – timber harvesting, the construction and maintenance of roads used primarily for timber harvesting and other activities conducted to facilitate timber harvesting.

Town planner — A person with a background and expertise in municipal planning contracted with or employed by the Town of Sebago to provide professional assistance to the Planning Board, Code Enforcement Officer, Board of Appeals, Ordinance Review Committee and Select Board on applications, ordinance changes, and other municipal planning matters falling within their respective jurisdictions. The Town Planner shall be appointed by the Town of Sebago Select Board for a specific term or for an indefinite term as determined by the Select Board. The Select Board may initially determine, and modify from time to time, the job description of the Town Planner in the best interest of the Town of Sebago and consistent with the provisions of this Ordinance.

**Tributary Stream** – Means a channel between defined banks created by the action of surface water, which is characterized by the lack of terrestrial vegetation or by the presence of a bed, devoid of topsoil, containing waterborne deposits or exposed soil, parent material or bedrock; and which is connected hydrologically with other water bodies. "Tributary stream" does not include rills or gullies forming because of accelerated erosion in disturbed soils where the natural vegetation cover has been removed by human activity.

This definition does not include the term "stream" as defined elsewhere in this Ordinance, and only applies to that portion of the tributary stream located within the shoreland zone of the receiving water body or wetland.

NOTE: Water setback requirements apply to tributary streams within the shoreland zone.

Formatted: Line spacing: single

Formatted: Font: Times New Roman, 12 pt

Formatted: Right: 0", Space Before: 0 pt, Line spacing: single, Font Alignment: Auto

Formatted: Font: Not Bold, Font color: Auto

**Upland Edge of a Wetland** – The boundary between upland and wetland. For purposes of a freshwater wetland, the upland edge is formed where the soils are not saturated for a duration sufficient to support wetland vegetation; or where the soils support the growth of wetland vegetation, but such vegetation is dominated by woody stems that are six (6) meters (approximately twenty (20) foot) tall or taller.

**Vegetation** – All live trees, shrubs, and other plants including without limitation, trees both over and under four (4) inches in diameter, measured at four and one half  $(4^1/2)$  feet above ground level

**Velocity Zone** – An area of special flood hazard extending from offshore to the inland limit of the primary frontal dune along an open coast and any other area subject to high velocity wave action from storms or seismic sources.

**Volume of a Structure** – The volume of all portions of a structure enclosed by roof and fixed exterior walls as measured from the exterior faces of these walls and roof.

Water Body – Any great pond, river, or stream

**Water Crossing** – Any project extending from one bank to the opposite bank of a river, stream, tributary stream, or wetland whether under, through, or over the water or wetland. Such projects include but may not be limited to roads, fords, bridges, culverts, water lines, sewer lines, and cables as well as maintenance work on these crossings. This definition includes crossings for timber harvesting equipment and related activities.

Wetland – A freshwater or coastal wetland.

**Windfirm** – The ability of a forest stand to withstand strong winds and resist windthrow, wind rocking, and major breakage.

Woody Vegetation – Live trees or woody, non-herbaceous shrubs.